

# SI-INTERBUS

RETROFIT, EASY INTEGRATION  
OPTION MODULE

The SI-Interbus option module has been designed for an easy integration of our drives in applications that use Interbus fieldbus.


## Features include:

- Up to 63 nodes on a network
- Supported data rates:
  - 500 kBd
  - 2 MBd
- Cyclic data sizes of up to 10 words in / out
- Non-cyclic access supported using standard PCP, CT Single Word and PPO 4 word modes protocols



## Accessories:

A Remote Bus Out adapter is available for an easy retrofit of existing applications using SM-Interbus



## Features include:

There are two versions of the SI-Interbus:

Option Module	Part Number
SI-Interbus 500 kBd	82400000021220
SI-Interbus 2 MBd	82400000021230
Cable Adapter	9500-1067

# Integrate, Automate, Communicate

Integration is at the heart of everything we do. Our modular drive expansion systems are designed to integrate into virtually any setup, no matter which communication protocol you use.

Our communication, I/O, feedback and machine control modules ensure anyone can experience the benefits of Control Techniques drives.

## Connectivity

SI-Ethernet



SI-EtherCAT



SI-PROFINET RT



SI-CANOpen



SI-PROFIBUS



SI-DeviceNet



SI-Interbus



## Machine Control

SI-Applications Compact



MCi200



MCi210



## I/O

SI-I/O



## Safety

SI-Safety



## Feedback

SI-Encoder



SI-Universal Encoder



Connect with us at:



[www.controltechniques.com](http://www.controltechniques.com)

© 2018 Nidec Control Techniques Limited. The information contained in this brochure is for guidance only and does not form part of any contract. The accuracy cannot be guaranteed as Nidec Control Techniques Ltd have an ongoing process of development and reserve the right to change the specification of their products without notice.

Nidec Control Techniques Limited. Registered Office: The Gro, Newtown, Powys SY16 3BE. Registered in England and Wales. Company Reg. No. 01236886.

**Nidec**  
All for dreams

**CONTROL**  
**TECHNIQUES**

P.N. 0781-0125-01 09/19