Modifiable TITAN® Horizontal Motors
Horizontal Weather Protected Type II
Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6PM)

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA®† Design B
- Re-Greasable Ball Bearings
- Provisions For Air Filters

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
150	3600*	----	---	5008	$30,564	5008	$31,481	----	---
	1800	----	---	5008	$28,992	5008	$29,862	----	---
	1200	----	---	5008	$28,922	5008	$29,789	----	---
	900	----	---	5008	$30,564	5008	$31,481	----	---
	720	5008	$27,203	5010	$34,122	5010	$35,146	----	---
	600	5010	$33,975	5010	$38,454	5010	$41,412	----	---
	514	5012	$34,044	5012	$50,097	5012	$53,950	----	---
200	3600*	----	----	5008	$30,886	5008	$31,813	----	---
	1800	----	---	5008	$29,227	5008	$30,104	----	---
	1200	----	---	5008	$30,097	5008	$31,000	----	---
	900	5008%	$27,489	5008	$33,099	5008	$35,645	----	---
	720	5008	$29,094	5010	$37,590	5010	$40,482	----	---
	600	5010	$38,985	5012	$43,077	5012	$46,390	----	---
	514	5012	$46,575	5012	$56,331	5012	$60,665	----	---
250	3600*	5008%	$27,021	5008	$31,967	5008	$32,926	5010	$39,906
	1800	5008%	$26,009	5008	$30,250	5008	$31,157	5008	$34,977
	1200	5008%	$26,084	5008	$31,150	5008	$32,085	5012	$41,217
	900	5008%	$28,928	5008	$36,338	5008	$39,133	5810	$60,939
	720	5008	$34,524	5010	$42,393	5010	$45,654	----	---
	600	5012	$48,225	5012	$52,320	5012	$56,345	----	---
	514	5810	$61,200	5810	$64,350	5810	$69,300	----	---
300	3600*	5008%	$30,072	5008	$32,988	5008	$35,528	5010	$44,410
	1800	5008%	$26,718	5008	$31,309	5008	$32,248	5010	$39,459
	1200	5008%	$30,216	5008	$32,241	5008	$33,208	5810	$62,138
	900	5008	$30,930	5008	$40,165	5010	$43,255	5810	$65,023
	720	5010	$39,582	5010	$45,852	5010	$49,379	----	---
	600	5810	$61,575	5810	$67,350	5810	$72,531	----	---
	514	5811	$65,580	5811	$70,875	5811	$76,327	----	---
350	3600*	5008%	$31,156	5008	$33,792	5010	$36,391	5010	$45,489
	1800	5008%	$28,595	5008	$32,404	5008	$33,783	5010	$42,230
	1200	5010%	$31,417	5008	$34,974	5008	$37,664	5810	$65,078
	900	5010	$34,518	5010	$43,448	5010	$46,790	5811	$68,158
	720	5012	$44,472	5012	$51,375	5012	$55,327	----	---
	600	5811	$67,260	5811	$69,450	5811	$74,792	----	---
	514	5812	$72,195	5812	$75,051	5812	$80,825	----	---
400	3600*	5010%	$35,451	5008	$37,362	5010	$40,236	5010	$50,295
	1800	5008%	$29,341	5008	$33,539	5008	$34,659	5012	$43,325
	1200	5010	$34,194	5008	$36,855	5008	$39,690	5811	$63,577
	900	5010	$38,646	5010	$46,056	5012	$49,599	5812	$73,500
	720	5810	$61,350	5810	$62,775	5810	$67,604	----	---
	600	5811	$70,350	5811	$74,985	5811	$80,753	----	---
	514	5812	$78,150	5812	$81,300	5812	$87,554	----	---

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

% Cannot be used for motors covered by EISA-2007 / IHP Motor Final Rule 2016

† All marks shown within this document are properties of their respective owners.

Modifiable TITAN® Horizontal Motors
Horizontal Weather Protected Type II
Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6PM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
450	3600*	5012	$39,399	5010	$40,617	5010	$43,741	5012	$54,677
	1800	5008	$30,216	5008	$34,713	5010	$37,254	5012	$46,568
	1200	5010	$38,289	5010	$39,885	5010	$42,953	5812	$70,881
	900	5010	$42,285	5012	$50,010	5012**	$53,857	5812	$79,933
	720	5810	$62,850	5811	$65,850	5811	$70,915	----	---
	600	5812	$73,830	5812	$78,600	5812	$84,646	----	---
	514	5813	$81,576	5813	$87,534	5813	$94,267	----	---
500	3600*	5012	$42,739	5010	$44,061	5010	$47,451	5012	$59,313
	1800	5010	$35,454	5010	$36,831	5010	$39,665	5811	$61,962
	1200	5010	$42,162	5010	$46,347	5010	$49,912	5812	$75,612
	900	5810	$64,050	5810	$67,200	5810	$72,369	5812	$85,038
	720	5811	$68,850	5811	$70,878	5812	$76,330	----	---
	600	5813	$79,185	5813	$82,440	5813	$88,782	----	---
	514	8007	$118,229	8007	$118,229	8007	$128,510	----	---
600	3600*	5010	$44,191	5010	$48,600	5010	$52,338	5812	$74,042
	1800	5010	$37,149	5010	$41,277	5010	$44,452	5811	$66,115
	1200	5012	$48,270	5012	$52,335	5012	$56,361	5813	$83,308
	900	5810	$68,100	5810	$71,775	5811	$77,296	6811	$100,517
	720	5812	$69,102	5812	$75,306	5812	$81,099	----	---
	600	5813	$88,800	5813	$96,231	8006	$123,531	----	---
	514	8007	$123,006	8007	$123,006	8007	$133,702	----	---
700	3600*	5012	$52,200	5012	$52,200	5012	$56,215	5813	$78,231
	1800	5010	$45,279	5010	$45,279	5010	$48,762	5812	$71,077
	1200	5012	$54,375	5012	$54,375	5012**	$58,124	5813	$86,608
	900	5811	$74,850	5811	$74,850	5811	$80,608	6811	$103,474
	720	5812	$83,918	5812	$83,918	5813	$90,369	----	---
	600	8007	$119,585	8007	$119,585	8008	$129,981	----	---
	514	8008	$130,338	8008	$130,338	8008	$141,681	----	---
800	3600*	5012	$56,100	5012	$56,100	5012	$60,415	5813	$87,231
	1800	5012	$49,281	5012	$49,281	5012	$53,072	5813	$77,769
	1200	5810	$70,425	5810	$70,425	5811	$75,842	6811	$101,174
	900	5811	$79,681	5812	$79,681	5812	$85,810	8008	$130,220
	720	5813	$92,550	5813	$92,550	6810	$102,808	----	---
	600	8008	$126,190	8008	$126,190	8008	$137,077	----	---
	514	8009	$142,073	8009	$142,073	8009	$154,431	----	---
900	3600*	5012	$65,850	5012	$65,850	5012	$70,915	8009#&	$152,678
	1800	5012	$54,288	5012	$54,288	5012	$58,464	5813	$82,038
	1200	5811	$74,101	5811	$74,101	5812	$79,801	6811	$103,474
	900	5812	$86,853	5812	$86,853	5812	$93,534	8009	$145,378
	720	----	---	8008	$118,760	8008	$129,087	----	---
	600	----	---	8009	$133,581	8009	$145,200	----	---
	514	----	---	8010	$163,615	8010	$177,854	----	---
1000	3600*	5012	$70,350	5012	$70,350	5012	$75,762	8009#&	$162,024
	1800	5012	$61,013	5012	$61,013	5012	$64,404	5813	$88,731
	1200	5812	$79,733	5812	$79,733	5813	$85,866	8008	$135,661
	900	5813	$94,050	5813	$94,050	6810	$104,423	8010	$158,717

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)
** Motor is Suitable for 1.0 SF, Class F Rise Only
# Motor Includes Sleeve Bearings
& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.

Modifiable TITAN® Horizontal Motors
Horizontal Weather Protected Type II
Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6PM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
1000	720	----	---	8009	$126,987	8009	$138,029	----	---
	600	----	---	8009	$146,452	8009	$159,185	----	---
	514	----	---	9604	$183,248	9604	$199,183	----	---
1250	3600*	----	---	5812	$86,850	5812	$93,531	8009#&	$167,695
	1800	----	---	5812	$78,849	5812	$84,914	6811	$97,500
	1200	----	---	5813	$93,783	5813	$100,997	8009	$140,409
	900	----	---	6811	$99,013	6811	$107,264	9604	$161,758
	720	----	---	8009	$139,341	8010	$151,457	----	---
	600	----	---	8009	$162,017	8010	$176,106	----	---
	514	----	---	9605	$192,410	9606	$209,146	----	---
1500	3600*	----	---	5813	$100,650	5813	$108,392	8010#&	$173,564
	1800	----	---	5812	$86,637	5812	$93,301	8009	$122,296
	1200	----	---	6811	$100,800	6811	$109,200	8010	$145,323
	900	----	---	8008	$122,197	8008	$132,823	9605	$174,704
	720	----	---	8010	$147,687	8011	$160,529	----	---
	600	----	---	9606	$181,869	9607	$197,238	----	---
	514	----	---	9606	$202,027	9607	$219,594	----	---
1750	3600*	----	---	5813	$110,850	5813	$119,377	8010#&	$179,639
	1800	----	---	5813	$95,301	5813	$102,632	8010	$134,192
	1200	----	---	8008	$119,158	8008	$129,519	9606	$168,496
	900	----	---	8009	$129,508	8009	$140,769	9606	$186,000
	720	----	---	9606	$163,305	9606	$177,505	----	---
	600	----	---	9607	$190,535	9607	$207,104	----	---
	514	----	---	9607	$210,104	9607	$228,375	----	---
2000	1800	----	---	5813	$109,071	5813	$117,462	----	----
	1200	----	---	8009	$125,461	8009	$136,371	9607	$182,135
	900	----	---	8010	$134,537	8010	$146,236	9607	$200,538
	720	----	---	9606	$184,229	9606	$200,250	----	---
	600	----	---	9607	$200,060	9607	$217,454	----	---
2250	1800	----	---	8009	$122,277	8009	$132,909	----	---
	1200	----	---	8009	$134,868	8010	$146,596	----	---
	900	----	---	8010	$149,877	9606	$182,100	----	---
	720	----	---	9607	$193,437	9607	$210,260	----	---
2500	1800	----	---	8009	$130,569	8010	$141,923	----	---
	1200	----	---	8010	$153,260	8011	$166,587	----	---
	900	----	---	9605	$171,306	9606	$186,202	----	---
3000	1800	----	---	8011	$147,621	8011	$160,457	----	---
	1200	----	---	9606	$183,462	9606	$199,413	----	---
	900	----	---	9607	$192,537	9607	$209,279	----	---
3500	1800	----	---	8011**	$177,148	8011**	$192,548	----	---
	1200	----	---	9607	$192,640	9607	$209,392	----	---
	900	----	---	9608	$210,052	9608	$228,317	----	---
4000	1200	----	---	9609	$204,969	9609	$222,796	----	---

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)
** Motor is Suitable for 1.0 SF, Class F Rise Only
# Motor Includes Sleeve Bearings
& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.

Modifiable TITAN® Horizontal Motors
Horizontal Weather Protected Type II
Anti-Friction Ball Bearings - Premium Efficient (DS-6PM)

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA®† Design B
- Re-Greasable Ball Bearings
- Provisions For Air Filters
- Department of Energy Compliance Certification Number CC030A

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
150	3600*	----	---	5008	$31,965	5008	$32,924	----	---
	1800	----	---	5008	$31,920	5008	$32,878	----	---
	1200	----	---	5008	$33,970	5008	$35,021	----	---
	900	----	---	5008	$31,109	5008	$33,255	----	---
	720	5008	$28,604	5010	$34,525	5010	$36,907	----	---
	600	5010	$37,896	5010	$42,891	5010	$45,849	----	---
	514	5012	$47,014	5012	$55,877	5012	$59,731	----	---
200	3600*	----	----	5008	$33,084	5008	$34,077	----	---
	1800	----	---	5008	$33,037	5008	$34,028	----	---
	1200	----	---	5008	$35,159	5008	$36,214	----	---
	900	5008@	$28,905	5008	$36,918	5008	$39,464	----	---
	720	5008	$32,451	5010	$41,927	5010	$44,819	----	---
	600	5010	$43,484	5012	$48,047	5012	$51,361	----	---
	514	5012	$51,950	5012	$62,830	5012	$67,164	----	---
250	3600*	5008@	$28,442	5008	$34,242	5010	$36,147	5010	$39,330
	1800	5008@	$29,106	5008	$34,193	5008	$35,390	5008	$34,848
	1200	5008@	$27,456	5008	$36,390	5010	$37,481	5012	$41,776
	900	5008@	$30,450	5008	$40,530	5010	$43,326	5810	$59,654
	720	5008	$38,507	5010	$47,285	5010	$50,545	----	---
	600	5012	$53,790	5012	$58,357	5012	$62,382	----	---
	514	5810	$68,262	5810	$71,775	5810	$76,725	----	---
300	3600*	5008@	$31,655	5010	$36,325	5010	$37,415	5010	$44,429
	1800	5008@	$28,125	5008	$35,390	5010	$36,325	5010	$39,260
	1200	5010@	$31,806	5010	$37,663	5010	$38,793	5810	$61,246
	900	5008	$34,499	5010	$44,800	5010	$47,889	5810	$66,323
	720	5010	$44,150	5010	$51,143	5010	$54,669	----	---
	600	5810	$68,680	5810	$75,121	5810	$80,302	----	---
	514	5811	$73,147	5811	$79,053	5811	$84,505	----	---
350	3600*	5008@	$32,796	5010	$37,692	5010	$40,290	5010	$49,388
	1800	5010@	$30,099	5010	$32,525	5010	$37,728	5010	$42,618
	1200	5010@	$33,070	5010	$39,009	5010	$41,700	5810	$64,269
	900	5010	$38,500	5010	$48,460	5010	$51,803	5811	$73,996
	720	5012	$49,604	5012	$57,303	5012	$61,255	----	---
	600	5811	$75,021	5811	$77,463	5811	$82,806	----	---
	514	5812	$80,526	5812	$83,710	5812	$89,484	----	---
400	3600*	5010@	$37,317	5010	$41,673	5010	$44,547	5010	$54,606
	1800	5010@	$33,103	5010	$35,897	5010	$39,048	5012	$47,038
	1200	5010	$38,139	5010	$41,108	5012	$43,943	5811	$69,115
	900	5010	$43,105	5010	$51,370	5012	$54,913	5812	$79,800
	720	5810	$68,429	5810	$70,019	5810	$74,848	----	---
	600	5811	$78,467	5811	$83,638	5811	$89,406	----	---
	514	5812	$87,185	5812	$90,681	5812	$96,935	----	---

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

@ 60Hz motor complies with U.S. D.O.E.'s Efficiency regulation 10 CFR Section 431 Subpart B – electric motors (see Appendix D for Nominal Efficiency Table)

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.

Modifiable TITAN® Horizontal Motors
Horizontal Weather Protected Type II
Anti-Friction Ball Bearings - Premium Efficient (DS-6PM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
450	3600*	5012@	$43,038	5010	$45,303	5010	$48,428	5012	$59,363
	1800	5010@	$34,090	5010	$38,585	5010	$41,245	5012	$50,559
	1200	5012	$42,707	5012	$44,488	5012	$47,556	5812	$76,962
	900	5010	$47,165	5012	$55,780	5012**	$59,627	5812	$86,769
	720	5810	$70,102	5811	$73,448	5811	$78,513	----	---
	600	5812	$82,349	5812	$87,669	5812	$93,715	----	---
	514	5813	$90,989	5813	$97,634	5813	$104,368	----	---
500	3600*	5012@	$46,687	5010	$49,145	5010	$52,535	5012	$64,397
	1800	5010@	$37,320	5010	$41,080	5010	$43,914	5811	$67,269
	1200	5012	$47,027	5012	$51,695	5012	$55,260	5812	$82,038
	900	5810	$71,440	5810	$74,954	5810	$80,123	5812	$92,319
	720	5811	$76,794	5811	$79,056	5812	$84,509	----	---
	600	5813	$88,322	5813	$91,952	5813	$98,294	----	----
	514	8007	$133,650	8007	$133,650	8007	$143,931	----	---
600	3600*	5010	$49,290	5012	$54,208	5012	$57,946	5812	$80,388
	1800	5010	$41,436	5010	$46,040	5010	$49,215	5811	$71,781
	1200	5012	$53,840	5012	$58,374	5012	$62,400	5813	$90,450
	900	5810	$75,958	5810	$80,057	5811	$85,578	6811	$104,926
	720	5812	$77,076	5812	$83,995	5812	$89,788	----	----
	600	5813	$99,046	5813	$107,342	8006	$138,346	----	----
	514	8007	$139,050	8007	$139,050	8007	$149,746	----	---
700	3600*	5012	$58,223	5012	$58,223	5012	$62,238	5813	$84,946
	1800	5010	$50,504	5012	$50,504	5012	$53,986	5812	$77,169
	1200	5012	$60,650	5012	$60,650	5012**	$64,832	5813	$94,038
	900	5811	$83,487	5811	$83,487	5811	$89,244	6811	$108,598
	720	5812	$93,600	5812	$93,600	5813	$100,056	----	---
	600	8007	$135,179	8007	$135,179	8008	$145,581	----	---
	514	8008	$147,346	8008	$147,346	8008	$158,679	----	----
800	3600*	5012	$62,573	5012	$62,573	5012	$66,888	5813	$94,708
	1800	5012	$54,967	5012	$54,967	5012	$58,758	5813	$84,462
	1200	5810	$78,552	5810	$78,552	5811	$83,969	6811	$105,612
	900	5811	$88,875	5812	$88,875	5812	$95,005	8008	$130,927
	720	5813	$103,229	5813	$103,229	6811	$110,348	----	---
	600	8008	$142,650	8008	$142,650	8008	$153,623	----	---
	514	8009	$160,604	8009	$160,604	8009	$172,962	----	----
900	3600*	5012	$73,448	5012	$73,448	5012	$78,513	8009#&	$158,150
	1800	5012	$60,552	5012	$60,552	5012	$64,728	5813	$89,077
	1200	5811	$82,651	5811	$82,651	5812	$88,352	6811	$109,308
	900	5812	$96,875	5812	$96,875	5812	$103,555	8009	$150,961
	720	----	---	8008	$134,250	8008	$144,577	----	---
	600	----	---	8009	$151,004	8009	$162,623	----	---
	514	----	---	8010	$184,967	8010	$199,193	----	----
1000	3600*	5012	$78,467	5012	$78,467	5012	$83,879	8009#&	$163,685
	1800	5012	$67,549	5012	$67,549	5012	$71,305	5813	$96,346
	1200	5812	$88,933	5812	$88,933	5813	$95,065	8008	$131,792
	900	5813	$104,902	5813	$104,902	6811	$112,137	8010	$155,469

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)
** Motor is Suitable for 1.0 SF, Class F Rise Only
@ 60Hz motor complies with U.S. D.O.E.'s Efficiency regulation 10 CFR Section 431 Subpart B – electric motors (see Appendix D for Nominal Efficiency Table)

\# Motor Includes Sleeve Bearings
& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.

Modifiable TITAN® Horizontal Motors
Horizontal Weather Protected Type II
Anti-Friction Ball Bearings - Premium Efficient (DS-6PM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
1000	720	----	----	8009	$143,550	8009	$154,592	----	---
	600	----	---	8009	$165,554	8009	$178,292	----	---
	514	----	---	9604	$207,467	9604	$223,085	----	----
1250	3600*	----	----	5812	$96,871	5812	$103,552	8009#&	$169,414
	1800	----	----	5812	$87,947	5812	$94,012	6811	$103,408
	1200	----	----	5813	$104,604	5813	$111,818	8009	$139,731
	900	----	----	6811	$111,389	6811	$119,640	9604	$171,808
	720	----	----	8009	$157,515	8010	$169,632	----	---
	600	----	----	8009	$183,150	8010	$197,238	----	---
	514	----	----	9605	$217,506	9605	$234,232	----	---
1500	3600*	----	----	5813	$112,263	5813	$120,006	8010#&	$175,344
	1800	----	----	5812	$96,633	5812	$103,298	8009	$129,923
	1200	----	----	6811	$113,400	6811	$121,800	8010	$149,077
	900	----	----	8008	$138,135	8009	$148,761	9605	$185,538
	720	----	----	8011	$166,950	8011	$179,792	----	---
	600	----	----	9606	$205,125	9607	$220,904	----	---
	514	----	----	9606	$228,375	9607	$245,942	----	---
1750	3600*	----	----	5813	$123,640	5813	$132,167	8010#&	$181,481
	1800	----	----	5813	$106,297	5813	$113,628	8010	$142,581
	1200	----	----	8009	$134,700	8010	$145,062	9606	$179,019
	900	----	----	8010	$146,400	8010	$157,662	9606	$197,619
	720	----	----	9606	$184,605	9606	$198,805	----	---
	600	----	----	9607	$215,383	9607	$231,952	----	---
	514	----	----	9607	$237,508	9607	$255,779	----	---
2000	1800	----	----	5813	$121,656	5813	$130,047	----	---
	1200	----	----	8010	$141,825	8010	$152,735	9607	$193,512
	900	----	----	8010	$152,085	8010	$163,784	9607	$213,000
	720	----	----	9606	$208,258	9607	$224,279	----	---
	600	----	----	9607	$226,154	9607	$243,554	----	---
2250	1800	----	----	8009	$134,504	8010	$146,200	----	---
	1200	----	----	8010	$148,356	8010	$161,256	----	---
	900	----	----	9605	$186,000	9606	$200,310	----	---
	720	----	----	9607	$212,781	9607	$231,286	----	---
2500	1800	----	----	8010	$143,626	8010	$156,115	----	---
	1200	----	----	8011	$168,586	8011	$183,246	----	---
	900	----	----	9606	$188,437	9607	$204,823	----	---
3000	1800	----	---	8011	$162,383	8011	$176,503	----	---
	1200	----	---	9606	$201,808	9606	$219,355	----	---
	900	----	---	9607	$211,791	9607	$230,207	---	---
3500	1800	----	---	8011**	$194,859	8011**	$211,800	----	---
	1200	----	---	9607	$211,905	9607	$230,331	----	---
	900	----	---	9608	$231,058	9608	$251,150	----	---
4000	1200	----	---	9609	$225,466	9609	$245,076	----	---

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)
** Motor is Suitable for 1.0 SF, Class F Rise Only
# Motor Includes Sleeve Bearings
& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.

Modifiable TITAN® Horizontal Motors
Horizontal Weather Protected Type II
Anti-Friction Ball Bearings - Standard Efficient (DS-6PM)
Cannot Be Used For Motors Covered by EISA-2007 / IHP Motor Final Rule 2016

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA®† Design B
- Re-Greasable Ball Bearings
- Provisions For Air Filters

HP	RPM @ 60 Hz	Voltage @ 60 Hertz	
		460 or 575V	
		Frame	List
200	900	5008%	$26,664
250	3600*	5008%	$26,210
	1800	5008%	$25,229
	1200	5008%	$25,301
	900	5008%	$28,060
300	3600*	5008%	$29,170
	1800	5008%	$25,916
	1200	5008%	$29,310
350	3600*	5008%	$30,221
	1800	5008%	$27,737
	1200	5010%	$30,474
400	3600*	5010%	$34,387
	1800	5008%	$28,461
450	3600*	5010%	$38,217
	1800	5008%	$31,225
500	3600*	5010%	$41,457
	1800	5010%	$34,390

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)
% Cannot be used for motors covered by EISA-2007 / IHP Motor Final Rule 2016

† All marks shown within this document are properties of their respective owners.