


# VariTough® Three Phase Inverter Duty Commercial Condenser Fan, 6.3" Diameter, Open Drip Proof, Air Over, with AEGIS® SGR Protection


## APPLICATIONS:

For use on condenser cooling fans in commercial air conditioning applications, where 3 phase power and variable frequency drives (VFD's) are required.



## FEATURES:

- Inverter Duty
- Designed to NEMA MG1-Part 31
- Open Drip Proof, Shaft-Up Design
- 70°C (158°F) Max Ambient
- Continuous Duty, Air Over
- Double Sealed Ball Bearings
- AEGIS® Shaft Grounding Ring included and mounted
- Voltage Change Device
- Lock Bearing System OSE
- Class F Insulation
- Reversible Rotation
- Thermostat Temperature Protection
- Keyway and Flat Shaft
- 208v will not be marked on DOE regulated spread voltage motors. Refer to online data



## Belly Band Mount with AEGIS® SGR Protection

HP	RPM	Voltage	Catalog Number	List	NEMA Frame	Amps	Shaft N	Total C	Ship Wt. (lbs)
1	1140	208-230/460	1818VG	\$647	56YZ	4.3-4.3/2.1	6.0	15.8	32
	850	208-230/460	1828VG	\$767	56YZ	5.0-5.0/2.5	6.0	16.8	32
	825	208-230/460	1830VG	\$748	56YZ	5.2-5.2/2.6	3.3	13.6	43
1 1/2	1140	208-230/460	1819VG	\$700	56YZ	5.3-5.3/2.6	6.0	16.3	43
	835	208-230/460	1832VG	\$885	56HZ	6.6-6.2/3.1	3.5	15.8	63
2	1140	208-230/460	8987VG	\$752	56YZ	7.8-7.8/3.9	6.0	16.8	48

## Rigid Base Mount with AEGIS® SGR Protection

HP	RPM	Voltage	Catalog Number	List	NEMA Frame	Amps	Shaft N	Total C	Ship Wt. (lbs)
1/2	575	230/460	1139VG	\$783	42Y	3.1/1.6	3.6	14.4	44
	575	480	1297VG	\$945	56HZ	1.9	4.3	15	49.6
1	1140	208-230/460	1820VG	\$658	56YZ	4.3-4.3/2.1	6.0	15.8	38
	850	208-230/460	1833VG	\$828	56YZ	5.0-5.0/2.5	6.0	16.8	42
1 1/2	1140	208-230/460	1821VG	\$712	56YZ	5.3-5.3/2.6	6.0	16.3	44
	835	208-230/460	1831VG	\$900	56HZ	6.6-6.2/3.1	3.5	15.8	63
2	1140	208-230/460	1822VG	\$765	56YZ	7.8-7.8/3.9	6.0	16.8	48

## Removable Base with AEGIS® SGR Protection

HP	RPM	Voltage	Catalog Number	List	NEMA Frame	Amps	Shaft N	Total C	Ship Wt. (lbs)
1	1140	208-230/460	1804VG	\$727	56YZ	4.3-4.3/2.1	6.0	16.8	32
	850	208-230/460	1803VG	\$863	56YZ	5.0-5.0/2.5	6.0	16.8	32
	825	208-230/460	1802VG	\$807	56YZ	5.2-5.2/2.6	6.0	16.3	43
1 1/2	1140	208-230/460	1806VG	\$786	56YZ	5.3-5.3/2.6	6.0	16.3	43
	850	208-230/460	1805VG	\$969	56Z	6.8-6.6/3.3	6.0	16.8	44.1
2	1140	208-230/460	1807VG	\$845	56YZ	7.8-7.8/3.9	6.0	16.8	48

