

**CONTROL**   
**TECHNIQUES**



# PLC CONTROL

PLC CONTROLLED MOTION  
INDUSTRIAL CONTROL

**NEW**

**DRIVE OBSESSED**

# PLC CONTROLLED MOTION SIMPLIFIES THE INTEGRATION OF DRIVES INTO MAJOR SYSTEMS

**Control Techniques has set the standards in motor control since 1973.**

Composed of two parts, a function block for the PLC and a guided setup within the Connect PC tool, the process of creating the PLC control logic and configuring the powerful onboard motion capabilities of the drive is greatly simplified.

## **Installation and configuration**

A single installation will load all the function blocks and documentation required, as well as example projects to get the application up and running as quickly as possible. Also included, is a library of utility function blocks that may be used to further reduce application development time.


PLC Controlled Motion fully configures the Ethernet/IP links thus reducing setup time and leaving more time to focus on the application development.

## Application benefits

Utilising the high-performance Advanced Motion Controller (AMC) inside the drive not only yields significant performance benefits but gives the possibility to create complex and high-performance motion without the need to use very powerful PLCs.

All common control and commissioning parameters can be adjusted from the PLC reducing the need to leave the programming environment.


Ladder logic is used extensively in the implementation to ease understanding and facilitate debugging of the application logic. A level of customisation is also possible by the application developer should the function blocks provided not quite meet the needs of the application.






## Motion configuration

Five function blocks provide functionality to support applications across the motion spectrum.




PLC controlled motion will guide you through the steps needed to easily configure your application



## Machine mechanics

Entering the machine mechanics allows the use of user selectable units across the application; removing the burden of scaling calculations.



**Nidec**

© 2020 Nidec Control Techniques Limited. The information contained in this brochure is for guidance only and does not form part of any contract. The accuracy cannot be guaranteed as Nidec Control Techniques Ltd have an ongoing process of development and reserve the right to change the specification of their products without notice.

Nidec Control Techniques Limited, Registered Office: The Gro, Newtown, Powys SY16 3BE, Registered in England and Wales. Company Reg. No. 01236886

Part No. 0781-0095-02 08/20