




REV.	DESCRIPTION	DATE	JOB NAME:	JOB NUMBER:
			ASSEMBLY PROCEDURE	
			DESCRIPTION:	DRAWN BY:
			STANDARD CAB ASSEMBLY	HARTMAN
				DATE:
				01/24/05
			DRAWING NUMBER:	REV
			STD-CAB-ASB - SHT #1	0
				SCALE: 1:16
				SHEET 1 OF 1


UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN INCHES  
ALL TOLERANCES  $\pm .030$ "



REV.	DESCRIPTION	DATE
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES ALL TOLERANCE $\pm .030"$		
<b>CANTON ELEVATOR</b> ARCHITECTURAL PRODUCTS		
ORIGINAL MODEL		
JOB NAME: ASSEMBLY PROCEDURE		JOB NUMBER: -
DESCRIPTION: STANDARD STEEL SHELL CAB ASSEMBLY		DRAWN BY: MARTIN DATE: 3/10/10
DRAWING NUMBER: SS-CAB-ASB - SHT #2		REV 0 SCALE: 1:1 SHEET 1 OF 1





DETAIL A  
SCALE 1 : 8





**INSTALLATION INSTRUCTIONS:**

- CONNECT STRIKE WALL ASSEMBLY AND SLIDE WALL ASSEMBLY TO REAR WALL ASSEMBLY USING 1/4-20 X 3/4" WHIZ BOLTS AND 1/4-20 WHIZ NUTS.
- SECURE SHELL TO PLATFORM USING #10 X 3/4" FLAT HEAD SCREWS

<b>CANTON ELEVATOR</b> ARCHITECTURAL PRODUCTS		
ORIGINAL MODEL	08/18/09	PRITCHARD
JOB NAME:	-	JOB NUMBER:
DESCRIPTION:		DRAWN BY:
STANDARD STEEL SHELL WALL ASM - 1		DATE:
DRAWING NUMBER:	REV	SCALE: 1:32
SS-WALL-ASM	0	SHEET 1 OF 1







DETAIL A  
SCALE 1 : 4



DETAIL B  
SCALE 1 : 2

<b>CANTON ELEVATOR</b> ARCHITECTURAL PRODUCTS		
ORIGINAL MODEL	08/10/09	PRITCHARD
JOB NAME: -		JOB NUMBER: -
DESCRIPTION: STANDARD STEEL SHELL WALL ASM - 2		DRAWN BY: - DATE: -
DRAWING NUMBER: <b>CAB-SS-ASB</b>	REV <b>0</b>	SCALE: 1:32 SHEET 1 OF 1



A (1 : 6)



REV.	DESCRIPTION	DATE	JOB NAME:	JOB NUMBER:
			ASSEMBLY PROCEDURE	
			DESCRIPTION:	DRAWN BY:
			STANDARD CAB ASSEMBLY	HARTMAN
				DATE:
				01/24/05
			DRAWING NUMBER:	SCALE: 1:20
			STD-CAB-ASB - SHT #3	SHEET 1 OF 1
			UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES ALL TOLERANCES ± .030"	REV 0