MOTION CONTROL ENGINEERING, INC.

11380 White Rock Road

Rancho Cordova, CA 95742-6522

Voice: 916 858-4212 Email: parts@mceinc.com



Survey Form Door Operator Components

JER065 B8, 3/19/12 Page 1 of 3

UPGRADE KIT: Contains a new doo	•	· · ·	mount	ing hardware.
How many upgrade kits do you ne				
		Model: _		
,		low and fax this page to MCE at (91		
IF YOU NEED ADDITIONAL CO	MPONENTS, comp	lete and submit all three pages of	this	survey form.
				CAR SIDE
QTY	COST		QTY	COST
Base Door Operator @		Gate Switch		
2 Spd Drv Arm Lnkg (SSL Only) @	\$38 =	IR Detector, Janus Pana 40		
Track,Hanger,Rollers, Header pe		Door Position Monitor Switch		@ \$56 =
Clutch @				
Clutch w/Restrictor @		DPM required: ANSI A17.1 1998		
Mounting Plate @		& 2000, and CSA.		
Slave Door Drive Assembly @				
Mounting Plate @	* \$8 =			
HATCH SIDE -				HATCH SIDE
QTY	COST		QTY	COST
Track,Hanger w/ roller assembly pe	r quote =	Sngl Spd Door Closer. Sill, w/spring		@ \$61 =
Hall Door Interlock Assembly @		2-spd Door Closer, Sill, w/spring		@ \$77 =
Pick Up Roller Mounting Plate @	\$8 =	2-spd Door Closer, Sill		
·		Spirator Closer		
OPERATOR		ORIENTA		
LEFT HAND RIGHT HAN	_ `	✓ ☐ PICK DOOR FOR CLU OM HALL		_
Job name:		Contractor:		
Customer Job #:		Contact Name:		
Purchase order #:		Phone #: F		
Requested ship date:		Street Address:		
Todays date:		City: Stat		•
		E Mail Address:		
Ship To:		FORM COMPLETED BY:		
Contact Name:		Name:		
Phone #: Fax #:		Company:		
Street Address:		Phone #: Fax #:		
City: State:	Zip:	Signature:		
24-hour notice needed? Lift gate	truck needed?	E Mail Address:		

MOTION CONTROL ENGINEERING, INC. 11380 White Rock Road Rancho Cordova, CA 95742

Rancho Cordova, CA 95742

Voice: 916 858-4212 Email: parts@mceinc.com




Survey Form Center Parting Doors, Car Side

JER065 B8, 3/19/12


Page 2 of 3

If you are ordering car-mounted products beyond the upgrade kit, please complete this page.


TOP VIEW (door clearances)




CAR DOOR TOP VIEW (hanger information)



* Standard center to center dimension for MCE door hangers is 4 1/8". An adapter is used to accommodate other center to center dimensions. If adapters are used, the door track must be raised 1/2" to compensate.





Job Name: _____

MOTION CONTROL ENGINEERING, INC. 11380 White Rock Road


Rancho Cordova, CA 95742 Voice: 916 858-4212 Email: parts@mceinc.com




Survey Form Center Parting Door, Hatch Side


JER065 B8, 3/19/12 Page 3 of 3







* Standard center to center dimension for MCE door hangers is 4 1/8". An adapter is used to accommodate other center to center dimensions. If adapters are used, the door track must be raised 1/2" to compensate.



FROM EXISTING INSTALLATION If applicable

Job Name:

