

INDEX A-F

A

ABRASION RESISTANT INSULATION.....	M-32
ACCESSORY CONDUIT BOX—NEMA®.....	M-14
ACCESSORY CONDUIT BOX – TITAN®.....	M-18
ADAPTER BRACKETS	M-7
ADDITIONAL NAMEPLATES.....	M-37
AERATOR MOTORS.....	M-4
AIR FILTERS (WP II).....	M-25
AIR FILTER DIFFERENTIAL PRESSURE SWITCH.....	M-25
AIR TEMPERATURE SENSOR.....	M-25
ALTERNATE BASE DIAMETERS.....	M-7
ALTITUDE.....	M-4
AMBIENT TEMPERATURE.....	M-5
ANTIPLUGGING SWITCH.....	M-52
API TOLERANCES.....	M-74
ARTIC DUTY OPTION.....	M-5
AUTOTRANSFORMER – STARTING	M-54

B

BALANCE AND VIBRATION.....	M-6
BASE DIAMETERS.....	M-7
BEARINGS – INSULATED.....	M-11
BEARING LIFE DETERMINATION.....	M-8
BEARINGS – OPTIONAL THRUST CAPACITIES.....	M-10
BEARINGS – RECOMMENDED OILS.....	M-41
BEARINGS – SIZE IMPACT ON EFFICIENCY.....	M-10, M-22
BEARINGS – SPARE SET.....	M-7
BEARING TEMPERATURE PROTECTION.....	M-68
BOLTED COUPLING ON VHS.....	M-19
BREATHING DRAINS.....	M-21
BREATHING DRAIN FOR CONDUIT BOX.....	M-26
BUSHINGS – STEADY.....	M-54
BUSS BAR CONNECTION.....	M-12, M-18

C

CALIBRATION TEST.....	M-62
CAPACITORS – POWER FACTOR CORRECTION.....	M-44
CAPACITORS – SURGE.....	M-58
CAST-IRON CONDUIT BOX – NEMA.....	M-14
CAST-IRON FAN COVER GUARD (SEE “FAN COVER, CAST IRON”).....	M-26
CIRCULATING SHAFT CURRENT PROTECTION.....	M-11
CLASS INSULATION.....	M-29
CLASS TEMPERATURE RISE.....	M-60
CODE LETTER LOWER THAN STANDARD.....	M-54
COMPLETE INITIAL TEST.....	M-61
CONDUIT BOX -- ACCESSORY.....	M-14, M-18
CONDUIT BOX – DRAIN & BREATHER.....	M-21, M-26
CONDUIT BOX – LEAD POSITIONING GASKET.....	M-19
CONDUIT BOX – NEMA® FRAME SIZE.....	M-12
CONDUIT BOX – NEMA® TYPE 2.....	M-18
CONDUIT BOX – OVERSIZED.....	M-14
CONDUIT BOX – SPACE HEATER IN.....	M-19, M-51
CONDUIT BOX – TITAN® FRAME SIZE.....	M-12
CONNECTIONS.....	M-51

CONTINUOUS UP THRUST.....	M-75
COOLING COILS.....	M-10
COPPER BAR ROTOR.....	M-47
CORRO-DUTY® PRODUCTS.....	M-30, M-35
CORRO-DUTY® PAINT JOB (SEE “PAINT”).....	M-42
CORRO-DUTY® WPI, WPII.....	M-24
COUPLINGS – BOLTED, SRC, NRR.....	M-19
COUPLINGS – PRESS ON HALF.....	M-20
CRATING OF MOTOR PRODUCTS.....	M-28
CURRENT – LOW STARTING.....	M-54
CURRENT TRANSFORMERS.....	M-20
CURVES – OF MOTOR CHARACTERISTICS.....	M-46
CYCLES – 50 HZ.....	M-29

D

DATA – SUBMITTAL.....	M-46
DB (A) – SOUND PRESSURE LEVELS.....	M-38
DIAL TYPE THERMOMETER – BEARINGS.....	M-63, M-69
DIFFERENTIAL PROTECTIONS (C.T.’S).....	M-20
DIMENSIONS – CONDUIT BOX – NEMA®.....	M-17
DIMENSIONS – CONDUIT BOX – TITAN®.....	M-17
DIMENSIONS – SUPPLIED WITH SUBMITTAL.....	M-46
DIVISION 1 HAZARDOUS LOCATION (SEE “ENCLOSURES”).....	M-27
DIVISION 2 HAZARDOUS LOCATION (SEE “ENCLOSURES”).....	M-28
DIVISION 2 NONLISTED (SEE “ENCLOSURES”).....	M-28
DOMESTIC CRATING OF MOTORS.....	M-28
DOUBLE DELTA STARTING.....	M-51
DRAIN AND BREATHER.....	M-21
DRAIN AND BREATHER IN CONDUIT BOX.....	M-21, M-26
DYNAMOMETER TESTING.....	M-61

E

EFFICIENCY.....	M-21
ELASTIMOLD CONNECTORS.....	M-19
ELEVATION (ALTITUDE).....	M-4
ENCLOSURES.....	M-24
EVERSEAL® (INSULATION).....	M-29
EXPORT BOXING.....	M-28
EXTRA HIGH THRUST (BEARINGS).....	M-10

F

FABRICATED ROTORS.....	M-47
FAN COVER, CAST IRON.....	M-26
FILTERS – AIR (WP II).....	M-24
FIRE PUMP	M-27
FORM WOUND COILS.....	M-31
FREQUENCY	M-29
FULL LOAD TEST (COMPLETE INITIAL).....	M-61



INDEX G-Q

G

GATE VALVES.....	M-11
GROUND PROVISIONS.....	M-29
GRILLS – SCREENS.....	M-48

H

HALF VOLTAGE SPACE HEATER.....	M-51
HARDWARE – STAINLESS STEEL.....	M-53
HEATERS – SPACE.....	M-51
HEATERS – OIL SUMP.....	M-40
HEATERS – MAIN CONDUIT BOX.....	M-19, M-51
HEAVY DUTY TEFC.....	M-26
HERTZ – 50 CYCLE.....	M-29
HORSEPOWER – NON-NEMA.....	M-29
HOSTILEDUTY™–CORRO-DUTY®.....	M-26

I

IDENTIFICATION PLATES – NAMEPLATES.....	M-37
IEEE® 45 SPECIFICATION – MARINE DUTY.....	M-35
841 PLUS® MODIFICATIONS.....	M-27
IMMERSION HEATERS.....	M-40
INPRO/SEAL®.....	M-48
INRUSH –REDUCED.....	M-58
INSULATED BEARINGS.....	M-11
INSULATION CLASS RATING.....	M-29
INSULATION (WINDING) TREATMENTS.....	M-31
INSULATION SYSTEM, ABRASION RESISTANT COATING.....	M-32
INVERTER DUTY PRODUCTS.....	M-33
INVERTERS AND THRUST BEARINGS.....	M-10
INTERNATIONAL SHIPMENTS.....	M-28

J

JUNCTION (CONDUIT) BOX.....	M-12
-----------------------------	------

K

KEY LOCK ON CONDUIT BOX.....	M-19
------------------------------	------

L

LEAD LUGS.....	M-65
LEAD POSITIONING GASKET.....	M-19
LEADS – LONGER THAN STANDARD.....	M-35
LEADS – POTTED.....	M-26
LEADS-TERMINATIONS (LUGS).....	M-65
LIGHTNING ARRESTORS.....	M-62
LIP SEALS (SEE “SEALS”).....	M-48
LONG-TERM STORAGE.....	M-89
LOW VOLTAGE STARTING.....	M-58

M

MAIN CONDUIT BOX – NEMA®.....	M-12
MAIN CONDUIT BOX – TITAN®.....	M-15
MAINTENANCE PLATFORMS.....	M-42
MANOMETER (DIFF. PRESSURE SWITCH).....	M-25
MARINE DUTY.....	M-35
MECHANICAL RESONANCE.....	M-2
MOMENTARY UP THRUST.....	M-75
MOUNT HALF COUPLING.....	M-20
MULTISPEED MOTORS.....	M-35
– CONSTANT TORQUE.....	M-36
– VARIABLE TORQUE.....	M-36

N

NAMEPLATES – SPECIAL.....	M-37
NOISE LEVELS – TYPICAL VALUES.....	M-38
NOISE TESTING.....	M-61
NON-NEMA HORSEPOWER.....	M-29
NON REVERSE RATCHET.....	M-39

O

OIL DRAIN GATE VALVES.....	M-11
OIL – RECOMMENDED TYPES.....	M-41
OIL SUMP HEATERS.....	M-40
OPTIONAL OIL BATH GUIDE BEARINGS.....	M-11
OPTIONAL ROTOR CONSTRUCTION.....	M-47
OVERLOAD – SERVICE FACTOR.....	M-49
OVERSIZED BEARINGS (EHT).....	M-10
OVERSIZED (NEMA®) CONDUIT BOX.....	M-12
OVERSPEED.....	M-42

P

PAINT.....	M-42
PAINT – CORRO-DUTY® PAINT JOB.....	M-42
PART WINDING START.....	M-55
PAYBACK ANALYSIS.....	M-22
PERFORMANCE CURVES.....	M-46
PILOT LIGHT FOR SPACE HEATER.....	M-52
PLATE BEARINGS.....	M-11
PLATFORMS LADDERS AND RAILINGS.....	M-42
POLARIZATION INDEX TESTING.....	M-62
POTTED LEADS.....	M-26
POWER FACTOR CORRECTION CAPACITORS.....	M-43
PREMIUM EFFICIENCY.....	M-21
PRESS ON HALF COUPLING.....	M-20
PRINTS AND DATA – SUBMITTALS.....	M-46

Q

QUICK DISCONNECTS – ELASTIMOLDS.....	M-19
--------------------------------------	------



INDEX R-Z

R

RANDOM WOUND STATORS.....	M-31
RATCHET – NONREVERSE.....	M-40
RECOMMENDED BEARING LIFE.....	M-6
REDUCED STARTING CURRENT.....	M-54
REDUCED VOLTAGE STARTING.....	M-54
REED CRITICAL FREQUENCY DATA.....	M-47
ROTATIONAL ARROW.....	M-37
ROTOR – COPPER BAR.....	M-47
ROTOR CONSTRUCTION.....	M-47
RTDs – BEARINGS.....	M-69
RTDs–WINDINGS.....	M-73

S

SCREENS – STAINLESS STEEL.....	M-48
SEALED INSULATION.....	M-32
SEALS (Inpro/Seal®).....	M-48
SELF-RELEASE COUPLING.....	M-19
SERVICE FACTOR.....	M-49
SEVERE DUTY.....	M-24, M-26
SERVIT POST (SEE "GROUNDING").....	M-14, M-18
SHAFT GROUNDING RING.....	M-50
SHAFT SLINGER (SEE "SEALS").....	M-48
SHAFTS – SPECIAL.....	M-50
SHAFT – SPECIAL RUNOUT.....	M-74
SHORT COMMERCIAL TEST.....	M-61
SOFTWARE.....	M-46
SOUND LEVELS.....	M-38
SPACE HEATER IN MAIN CONDUIT BOX.....	M-19, M-72
SPACE HEATER ON WINDING.....	M-51
SPACE HEATER PILOT LIGHT.....	M-52
SPARE ANTIFRICTION BEARING SET.....	M-7
SPECIAL BALANCE.....	M-7
SPECIAL FEATURES NAMEPLATE.....	M-37
SPECIAL PAINT.....	M-42
SPECIAL SHAFT SEALS (REFER TO INQUIRY GROUP).....	M-78
SPECIAL VOLTAGE RATING.....	M-79
SPECIAL WARRANTY.....	M-52
SPEED SENSING SWITCH.....	M-52
SNOWMASTER™.....	M-51
STAINLESS-STEEL HARDWARE.....	M-53
STAINLESS-STEEL SCREENS.....	M-12
STAND-OFF INSULATORS – BUSS BAR.....	M-51
STAR-DELTA START.....	M-54
STARTING CURRENT – REDUCED.....	M-53
STARTING DUTY NAMEPLATES.....	M-53
STARTING METHODS.....	M-53
STEADY BUSHINGS.....	M-54
STRESS CONE CONDUIT BOX.....	M-15
SUBMITTAL DATA.....	M-46
SUMP HEATERS – OIL.....	M-40
SURGE PROTECTION.....	M-58

T

TEMPERATURE RISE.....	M-58
TERMINAL BOX – CONDUIT BOX.....	M-12

TERMINAL CONNECTORS – LEAD LUGS.....	M-61
TERMINAL STRIP CONNECTIONS.....	M-18
TESTING OF MOTORS.....	M-61
THERMAL PROTECTION – BEARINGS.....	M-68
THERMAL PROTECTION – WINDINGS.....	M-70
THERMA SENTRY® – WINDINGS.....	M-71
THERMISTORS (SEE "THERMAL PROTECTION").....	M-70
THERMOCOUPLES–BEARINGS.....	M-69
THERMOCOUPLES – WINDINGS.....	M-73
THERMOSTATICALLY CONTROLLED SPACE HEATERS.....	M-52
THERMOSTATS.....	M-70
THRUST BEARINGS – EXTRA HIGH.....	M-10
THRUST BEARINGS–LOSSES.....	M-10
THRUST BEARINGS – WITH VFDs.....	M-33
TOLERANCES SPECIAL SHAFT AND FLANGE.....	M-74
TOTALLY ENCLOSED FAN COOLED (TEFC).....	M-25
TWO-SPEED CONSTANT TORQUE MOTORS.....	M-36
TWO-SPEED VARIABLE TORQUE MOTORS.....	M-36

U

U-FRAME MOTORS.....	M-6
UL® LISTED MOTORS (SEE "ENCLOSURES, HAZARDOUS LOCATION").....	M-26
UL® LISTED FIRE PUMP.....	M-28
UPTHRUST OPTIONS.....	M-75

V

VFD – OPERATION – INSULATION SYSTEMS.....	M-33
VFD – THRUST BEARING CONCERNS.....	M-10, M-11
VIBRATION DETECTORS.....	M-75
VIBRATION LEVELS.....	M-6
VIBRATION TESTING.....	M-62
VOLTAGE OPTIONS.....	M-78
VPI INSULATION SYSTEMS.....	M-32

W

WARRANTY.....	M-79
WATER COOLING COILS.....	M-10
WATTS – SPACE HEATER RATINGS.....	M-52
WINDING PROTECTION.....	M-70
WINDING – RANDOM VS. FORM COILS.....	M-31
WINDING RTDs.....	M-73
WINDING THERMISTORS.....	M-70
WINDING THERMOCOUPLES.....	M-73
WINDING THERMOSTATS.....	M-70
WINDING TREATMENTS.....	M-31
WINDOW TYPE CURRENT TRANSFORMERS.....	M-20
WYE-DELTA STARTING.....	M-51

Z

ZERO-SPEED SWITCH.....	M-52
------------------------	------

