

# Three Phase Modifiable NEMA<sup>®</sup> Horizontal Motors Totally Enclosed Fan Cooled (TEFC)



LE Single Label

## Hazardous Location, Division 1, Premium Efficient - IE3

- \* Class F Insulation, Class B Rise At Full Load On 60 Hertz Sine Wave Power
- \* 1.15 Service Factor
- \* Cast Iron Frame And Endshields
- \* Corrosion Resistant Mill And Chemical Duty Paint
- \* Stainless Steel Nameplate And Zinc Plated Hardware
- \* Shaft Slinger On Pulley End

- \* Lifting Provisions And Regreasable Bearings On 180 Frame And Up
- \* Class I, Group D (140-440 Frame)
- \* Class I, Group C&D (250-400 Frame)
- \* CORRO-DUTY<sup>®</sup> Available With Adder
- \* Close Coupled Pump (CCP) Available With Adder
- \* Air-Over (TEAO) Available With Deduct
- \* Multi-Speed Available With Adder

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
0.25	143	\$781	143	\$678	143	\$922	145	\$1,419	—	—	—	—
0.33	143	\$781	143	\$678	143	\$922	145	\$1,419	—	—	—	—
0.5	143	\$781	143	\$678	143	\$922	145	\$1,419	—	—	—	—
0.75	143	\$781	143	\$678	143	\$922	145	\$1,419	—	—	—	—
1	143	\$781	143	\$678	145	\$922	182	\$1,419	213	\$1,916	215	\$2,491
1.5	143	\$781	145	\$751	182	\$1,016	184	\$1,575	213	\$2,127	254	\$2,765
2	145	\$928	145	\$824	184	\$1,131	213	\$1,748	215	\$2,360	256	\$3,068
3	182	\$1,038	182	\$917	213	\$1,398	215	\$2,167	254	\$2,925	284	\$3,803
5	184	\$1,302	184	\$1,067	215	\$2,001	254	\$3,012	256	\$4,067	286	\$5,287
7.5	213	\$1,609	213	\$1,455	254	\$2,593	256	\$4,140	284	\$5,590	324	\$7,266
10	215	\$1,885	215	\$1,757	256	\$3,132	284	\$4,938	324	\$6,667	326	\$8,667
15	254	\$2,620	254	\$2,356	284	\$4,294	286	\$6,419	326	\$8,666	364	\$11,266
20	256	\$3,243	256	\$2,903	286	\$5,201	324	\$7,597	364	\$10,256	365	\$13,333
25	284	\$3,913	284	\$3,427	324	\$6,238	326	\$9,000	365	\$12,150	405	\$15,795
30	286	\$4,589	286	\$3,997	326	\$7,360	364	\$10,361	405	\$13,987	405	\$18,184
40	324	\$5,976	324	\$5,260	364	\$9,743	365	\$12,958	405	\$17,493	445	\$22,741
50	326	\$7,690	326	\$6,458	365	\$11,224	404	\$16,506	445	\$22,283	445	\$28,968
60	364	\$10,089	364	\$9,229	404	\$12,945	405	\$18,755	445	\$25,319	447	\$32,914
75	365	\$12,677	365	\$11,738	405	\$15,629	444	\$20,786	447	\$28,062	449	\$36,480
100	405	\$15,689	405	\$13,486	444	\$19,727	445	\$27,081	449	\$36,559	449	\$47,527
125	444	\$19,523	444	\$16,656	445	\$22,565	447	\$29,565	449	\$39,913	—	—
150	445	\$24,026	445	\$19,769	447	\$25,918	449	\$36,048	—	—	—	—
200	447	\$30,363	447	\$24,086	—	—	449	\$38,375	—	—	—	—
250	—	—	449	\$30,108	—	—	—	—	—	—	—	—

\* Must Specify Division, Class, Group And Temperature Code At Order Entry.  
 \* For Temperature Code T3 Or Lower, Use Dual Label.  
 \* Maximum Rating For Each RPM Available As 1.0 S.F. Only.  
 \* 60Hz 3600, 1800, 1200 & 900 RPM Motors Comply With U.S. D.O.E.'s Efficiency Regulation 10 CFR Section 431 Subpart B – Electric Motors (See Appendix A2 & A3 For Nominal Efficiency Table)

DISCOUNT SYMBOL: DS-3CXM

† All marks shown within this document are properties of their respective owners.



# Three Phase Modifiable NEMA<sup>®</sup> Horizontal Motors Totally Enclosed Fan Cooled (TEFC)



LE Single Label

## Hazardous Location, Division 1, Premium Efficient - IE3

- \* Class F Insulation, Class B Rise At Full Load On 60 Hertz Sine Wave Power
- \* 1.00 Service Factor
- \* Cast Iron Frame And Endshields
- \* Corrosion Resistant Mill And Chemical Duty Paint
- \* Stainless Steel Nameplate And Zinc Plated Hardware
- \* Shaft Slinger On Pulley End

- \* Lifting Provisions And Regreasable Bearings On 180 Frame And Up
- \* Class I Group D, Class II Group F&G (140-440 Frame)
- \* Class I Group C&D, Class II Group F&G (250-400 Frame)
- \* Close Coupled Pump (CCP) Available With Adder
- \* Air-Over (TEAO) Available With Deduct
- \* Multi-Speed And CORRO-DUTY<sup>®</sup> Available With Adder

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
0.25	143	\$840	143	\$729	143	\$991	145	\$1,526	—	—	—	—
0.33	143	\$840	143	\$729	143	\$991	145	\$1,526	—	—	—	—
0.5	143	\$840	143	\$729	143	\$991	145	\$1,526	—	—	—	—
0.75	143	\$840	143	\$729	143	\$991	145	\$1,526	—	—	—	—
1	143	\$840	143	\$729	145	\$991	182	\$1,526	213	\$2,060	215	\$2,669
1.5	143	\$840	145	\$808	182	\$1,093	184	\$1,694	213	\$2,287	254	\$2,962
2	145	\$998	145	\$886	184	\$1,216	213	\$1,880	215	\$2,537	256	\$6,748
3	182	\$1,116	182	\$986	213	\$1,503	215	\$2,330	254	\$3,144	284	\$7,499
5	184	\$1,400	184	\$1,147	215	\$2,152	254	\$3,239	256	\$4,373	286	\$7,768
7.5	213	\$1,730	213	\$1,564	254	\$2,788	256	\$4,447	284	\$7,517	324	\$10,231
10	215	\$2,027	215	\$1,889	256	\$3,368	284	\$5,310	324	\$9,744	326	\$10,292
15	254	\$2,817	254	\$2,533	284	\$4,617	286	\$7,160	326	\$8,950	364	\$11,458
20	256	\$3,487	256	\$3,122	286	\$5,593	324	\$8,474	364	\$10,592	365	\$14,797
25	284	\$4,208	284	\$3,685	324	\$6,707	326	\$9,692	365	\$13,933	405	\$19,918
30	286	\$4,934	286	\$4,298	326	\$7,914	364	\$11,158	405	\$19,582	405	\$22,382
40	324	\$6,426	324	\$5,656	364	\$10,476	365	\$13,822	405	\$19,901	445	\$25,985
50	326	\$8,269	326	\$6,944	365	\$12,069	404	\$17,776	445	\$24,996	445	\$31,840
60	364	\$10,848	364	\$9,924	404	\$13,919	405	\$19,634	445	\$28,581	447	\$36,737
75	365	\$13,631	365	\$12,622	405	\$16,190	444	\$21,533	447	\$34,988	449	\$45,922
100	405	\$16,886	405	\$14,501	444	\$21,232	445	\$29,147	449	\$44,651	449	\$51,229
125	444	\$21,012	444	\$17,910	445	\$24,286	447	\$32,301	449	\$48,814	—	—
150	445	\$25,858	445	\$21,257	447	\$28,272	449	\$38,761	—	—	—	—
200	447	\$32,678	447	\$25,899	—	—	449	\$51,681	—	—	—	—
250	—	—	449	\$32,374	—	—	—	—	—	—	—	—

\* Must Specify Division, Class, Group And Temperature Code At Order Entry.  
 \* Maximum Rating For Each RPM Available As 1.0 S.F. Only.  
 \* 60Hz 3600, 1800, 1200 & 900 RPM Motors Comply With U.S. D.O.E.'s Efficiency Regulation 10 CFR Section 431 Subpart B – Electric Motors (See Appendix A2 & A3 For Nominal Efficiency Table)

DISCOUNT SYMBOL: DS-3CXM

† All marks shown within this document are properties of their respective owners.



# Three Phase Modifiable NEMA<sup>®†</sup> Horizontal Motors Totally Enclosed Fan Cooled (TEFC)

Cannot Be Used For Motors Covered by IHP Motor Final Rule 2016



LE Single Label

## Hazardous Location, Division 1, Energy Efficient

- \* Class F Insulation, Class B Rise At Full Load On 60 Hertz Sine Wave Power
- \* 1.00 Service Factor
- \* Cast Iron Frame And Endshields
- \* Corrosion Resistant Mill And Chemical Duty Paint
- \* Stainless Steel Nameplate And Zinc Plated Hardware
- \* Shaft Slinger On Pulley End

- \* Lifting Provisions And Regreasable Bearings On 180 Frame And Up
- \* Class I Group D
- \* Class I Group C&D
- \* Close Coupled Pump (CCP) Available With Adder
- \* Air-Over (TEAO) Available With Deduct
- \* Multi-Speed And CORRO-DUTY<sup>®†</sup> Available With Adder

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
0.25	143	\$703	143	\$610	143	\$829	145	\$1,277	—	—	—	—
0.33	143	\$703	143	\$610	143	\$829	145	\$1,277	—	—	—	—
0.5	143	\$703	143	\$610	143	\$829	145	\$1,277	—	—	—	—
0.75	143	\$703	143	\$610	143	\$829	145	\$1,277	—	—	—	—
1	143	\$703	143	\$610	145	\$829	182	\$1,277	—	—	—	—
1.5	143	\$703	145	\$676	182	\$915	184	\$1,418	—	—	—	—
2	145	\$835	145	\$742	184	\$1,018	213	\$1,574	—	—	—	—
3	182	\$934	182	\$825	213	\$1,258	215	\$1,950	—	—	—	—
5	184	\$1,172	184	\$960	215	\$1,801	254	\$2,711	—	—	—	—
7.5	213	\$1,448	213	\$1,309	254	\$2,334	256	\$3,726	—	—	—	—
10	215	\$1,697	215	\$1,581	256	\$2,819	284	\$4,444	—	—	—	—
15	254	\$2,358	254	\$2,120	284	\$3,864	286	\$5,777	—	—	—	—
20	256	\$2,919	256	\$2,613	286	\$4,681	324	\$7,217	—	—	—	—
25	284	\$3,522	284	\$3,084	324	\$5,926	326	\$8,550	—	—	—	—
30	286	\$4,130	286	\$3,597	326	\$6,992	364	\$9,843	—	—	—	—
40	324	\$5,677	324	\$4,997	364	\$9,256	365	\$12,310	—	—	—	—
50	326	\$7,306	326	\$6,135	365	\$10,663	404	\$15,681	—	—	—	—
60	364	\$9,584	364	\$8,768	404	\$12,297	405	\$17,817	—	—	—	—
75	365	\$12,043	365	\$11,152	405	\$14,847	444	\$19,747	—	—	—	—
100	405	\$14,905	405	\$12,812	444	\$18,741	445	\$25,727	—	—	—	—
125	444	\$18,547	444	\$15,823	445	\$21,437	447	\$28,087	—	—	—	—
150	445	\$22,825	445	\$18,781	447	\$24,622	449	\$34,245	—	—	—	—
200	447	\$28,844	447	\$22,882	—	—	449	\$45,660	—	—	—	—
250	—	—	449	\$28,602	—	—	—	—	—	—	—	—

\* Must Specify Division, Class, Group And Temperature Code At Order Entry.  
 \* For Temperature Code T3 Or Lower, Use Dual Label.  
 \* For 900, 720 Or 600 RPM, Use Standard Efficiency Or Premium Efficiency.  
 \* 60Hz 3600, 1800, 1200 & 900 RPM Motors Comply With U.S. D.O.E.'s Efficiency Regulation 10 CFR Section 431 Subpart B – Electric Motors (See Appendix A2 & A3 For Nominal Efficiency Table)

DISCOUNT SYMBOL: DS-3CXM

† All marks shown within this document are properties of their respective owners.



# Three Phase Modifiable NEMA<sup>®</sup> Horizontal Motors Totally Enclosed Fan Cooled (TEFC)

Cannot Be Used For Motors Covered by IHP Motor Final Rule 2016



LE Single Label

## Hazardous Location, Division 1, Energy Efficient

- \* Class F Insulation, Class B Rise At Full Load On 60 Hertz Sine Wave Power
- \* 1.00 Service Factor
- \* Cast Iron Frame And Endshields
- \* Corrosion Resistant Mill And Chemical Duty Paint
- \* Stainless Steel Nameplate And Zinc Plated Hardware
- \* Shaft Slinger On Pulley End

- \* Lifting Provisions And Regreasable Bearings On 180 Frame And Up
- \* Class I Group D, Class II Group F&G (140-440 Frame)
- \* Class I Group C&D, Class II Group F&G (250-400 Frame)
- \* Close Coupled Pump (CCP) Available With Adder
- \* Air-Over (TEAO) Available With Deduct
- \* Multi-Speed And CORRO-DUTY<sup>®†</sup> Available With Adder

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
0.25	143	\$756	143	\$656	143	\$892	145	\$1,373	—	—	—	—
0.33	143	\$756	143	\$656	143	\$892	145	\$1,373	—	—	—	—
0.5	143	\$756	143	\$656	143	\$892	145	\$1,373	—	—	—	—
0.75	143	\$756	143	\$656	143	\$892	145	\$1,373	—	—	—	—
1	143	\$756	143	\$656	145	\$892	182	\$1,373	—	—	—	—
1.5	143	\$756	145	\$727	182	\$984	184	\$1,525	—	—	—	—
2	145	\$898	145	\$797	184	\$1,094	213	\$1,692	—	—	—	—
3	182	\$1,004	182	\$887	213	\$1,353	215	\$2,097	—	—	—	—
5	184	\$1,260	184	\$1,032	215	\$1,937	254	\$2,915	—	—	—	—
7.5	213	\$1,557	213	\$1,408	254	\$2,509	256	\$4,002	—	—	—	—
10	215	\$1,824	215	\$1,700	256	\$3,031	284	\$4,779	—	—	—	—
15	254	\$2,535	254	\$2,280	284	\$4,155	286	\$6,444	—	—	—	—
20	256	\$3,138	256	\$2,810	286	\$5,034	324	\$8,050	—	—	—	—
25	284	\$3,787	284	\$3,317	324	\$6,372	326	\$9,208	—	—	—	—
30	286	\$4,441	286	\$3,868	326	\$7,518	364	\$10,600	—	—	—	—
40	324	\$6,105	324	\$5,373	364	\$9,952	365	\$13,131	—	—	—	—
50	326	\$7,856	326	\$6,597	365	\$11,466	404	\$16,887	—	—	—	—
60	364	\$10,306	364	\$9,428	404	\$13,223	405	\$18,652	—	—	—	—
75	365	\$12,949	365	\$11,991	405	\$15,381	444	\$20,456	—	—	—	—
100	405	\$16,042	405	\$13,776	444	\$20,170	445	\$27,689	—	—	—	—
125	444	\$19,962	444	\$17,015	445	\$23,072	447	\$30,686	—	—	—	—
150	445	\$24,566	445	\$20,194	447	\$26,858	449	\$36,823	—	—	—	—
200	447	\$31,044	447	\$24,604	—	—	449	\$49,097	—	—	—	—
250	—	—	449	\$30,755	—	—	—	—	—	—	—	—

\* Must Specify Division, Class, Group And Temperature Code At Order Entry.  
 \* Maximum Rating For Each RPM Available As 1.0 S.F. Only.  
 \* For 900, 720 Or 600 RPM, Use Standard Efficiency Or Premium Efficiency.  
 \* 60Hz 3600, 1800, 1200 & 900 RPM Motors Comply With U.S. D.O.E.'s Efficiency Regulation 10 CFR Section 431 Subpart B – Electric Motors (See Appendix A2 & A3 For Nominal Efficiency Table)

DISCOUNT SYMBOL: DS-3CXM

† All marks shown within this document are properties of their respective owners.



# Three Phase Modifiable NEMA<sup>®†</sup> Horizontal Motors Totally Enclosed Fan Cooled (TEFC)

Cannot Be Used For Motors Covered by IHP Motor Final Rule 2016



LE Single Label

## Hazardous Location, Division 1, Standard Efficient

- \* Class F Insulation, Class B Rise At Full Load On  
60 Hertz Sine Wave Power
- \* 1.15 Service Factor
- \* Cast Iron Frame And Endshields
- \* Corrosion Resistant Mill And Chemical Duty Paint
- \* Stainless Steel Nameplate And Zinc Plated Hardware
- \* Shaft Slinger On Pulley End

- \* Lifting Provisions And Regreasable Bearings On 180 Frame And Up
- \* Class I, Group D (140-440 Frame)
- \* Class I, Group C&D (250-400 Frame)
- \* CORRO-DUTY<sup>®†</sup> Available With Adder
- \* Close Coupled Pump (CCP) Available With Adder
- \* Air-Over (TEAO) Available With Deduct
- \* Multi-Speed Available With Adder

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
0.25	143	\$625	143	\$542	143	\$737	145	\$1,135	—	—	—	—
0.33	143	\$625	143	\$542	143	\$737	145	\$1,135	—	—	—	—
0.5	143	\$625	143	\$542	143	\$737	145	\$1,135	—	—	—	—
0.75	143	\$625	143	\$542	143	\$737	145	\$1,135	—	—	—	—
1	143	\$625	143	\$542	145	\$737	182	\$1,135	213	\$1,533	215	\$1,993
1.5	143	\$625	145	\$601	182	\$813	184	\$1,260	213	\$1,701	254	\$2,212
2	145	\$743	145	\$659	184	\$905	213	\$1,399	215	\$1,888	256	\$2,455
3	182	\$830	182	\$734	213	\$1,118	215	\$1,734	254	\$2,340	284	\$3,042
5	184	\$1,042	184	\$853	215	\$1,601	254	\$2,410	256	\$3,253	286	\$4,229
7.5	213	\$1,287	213	\$1,164	254	\$2,074	256	\$3,312	284	\$4,472	324	\$6,540
10	215	\$1,508	215	\$1,405	256	\$2,506	284	\$3,951	324	\$6,000	326	\$7,800
15	254	\$2,096	254	\$1,885	284	\$3,435	286	\$5,136	326	\$7,800	364	\$10,139
20	256	\$2,594	256	\$2,323	286	\$4,161	324	\$6,837	364	\$9,231	365	\$12,000
25	284	\$3,131	284	\$2,742	324	\$5,614	326	\$8,100	365	\$10,935	405	\$14,215
30	286	\$3,671	286	\$3,198	326	\$6,624	364	\$9,325	405	\$12,589	405	\$16,365
40	324	\$5,379	324	\$4,734	364	\$8,768	365	\$11,662	405	\$15,744	445	\$20,467
50	326	\$6,921	326	\$5,812	365	\$10,102	404	\$14,855	445	\$20,055	445	\$26,071
60	364	\$9,080	364	\$8,306	404	\$11,650	405	\$16,879	445	\$22,787	447	\$29,623
75	365	\$11,409	365	\$10,565	405	\$14,066	444	\$18,708	447	\$25,255	449	\$32,832
100	405	\$14,120	405	\$12,137	444	\$17,755	445	\$24,373	449	\$32,903	449	\$42,774
125	444	\$17,571	444	\$14,991	445	\$20,309	447	\$26,608	449	\$35,921	—	—
150	445	\$21,623	445	\$17,792	447	\$23,326	449	\$32,443	—	—	—	—
200	447	\$27,326	447	\$21,677	449	\$30,556	449	\$34,537	—	—	—	—
250	449	\$32,547	449	\$27,097	449	\$33,358	—	—	—	—	—	—
300	449	\$41,568	449	\$31,581	—	—	—	—	—	—	—	—
350	449	\$47,334	—	—	—	—	—	—	—	—	—	—

\* Must Specify Division, Class, Group And Temperature Code At Order Entry.

\* For Temperature Code T3 Or Lower, Use Dual Label.

DISCOUNT SYMBOL: DS-3CXM

† All marks shown within this document are properties of their respective owners.



# Three Phase Modifiable NEMA<sup>®†</sup> Horizontal Motors Totally Enclosed Fan Cooled (TEFC)

Cannot Be Used For Motors Covered by IHP Motor Final Rule 2016



L Dual Label

## Hazardous Location, Division 1, Standard Efficient

- \* Class F Insulation, Class B Rise At Full Load On 60 Hertz Sine Wave Power
- \* 1.00 Service Factor
- \* Cast Iron Frame And Endshields
- \* Corrosion Resistant Mill And Chemical Duty Paint
- \* Stainless Steel Nameplate And Zinc Plated Hardware
- \* Shaft Slinger On Pulley End

- \* Lifting Provisions And Regreasable Bearings 180 Frame And Up
- \* Class I Group D, Class II Group F&G (140-440 Frame)
- \* Class I Group C&D, Class II Group F&G (250-400 Frame)
- \* Close Coupled Pump (CCP) Available With Adder
- \* Air-Over (TEAO) Available With Deduct
- \* Multi-Speed And CORRO-DUTY<sup>®†</sup> Available With Adder

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
0.25	143	\$672	143	\$583	143	\$793	145	\$1,221	—	—	—	—
0.33	143	\$672	143	\$583	143	\$793	145	\$1,221	—	—	—	—
0.5	143	\$672	143	\$583	143	\$793	145	\$1,221	—	—	—	—
0.75	143	\$672	143	\$583	143	\$793	145	\$1,221	—	—	—	—
1	143	\$672	143	\$583	145	\$793	182	\$1,221	213	\$1,648	215	\$2,143
1.5	143	\$672	145	\$646	182	\$874	184	\$1,355	213	\$1,830	254	\$2,378
2	145	\$798	145	\$709	184	\$973	213	\$1,504	215	\$2,030	256	\$2,640
3	182	\$893	182	\$789	213	\$1,202	215	\$1,864	254	\$2,516	284	\$3,271
5	184	\$1,120	184	\$918	215	\$1,722	254	\$2,591	256	\$3,498	286	\$4,548
7.5	213	\$1,384	213	\$1,251	254	\$2,230	256	\$3,558	284	\$4,803	324	\$7,024
10	215	\$1,622	215	\$1,511	256	\$2,694	284	\$4,248	324	\$6,452	326	\$8,387
15	254	\$2,254	254	\$2,026	284	\$3,694	286	\$5,728	326	\$8,700	364	\$11,309
20	256	\$2,790	256	\$2,498	286	\$4,474	324	\$7,626	364	\$10,296	365	\$13,384
25	284	\$3,366	284	\$2,948	324	\$6,036	326	\$8,723	365	\$11,776	405	\$15,309
30	286	\$3,947	286	\$3,438	326	\$7,123	364	\$10,042	405	\$13,557	405	\$17,624
40	324	\$5,783	324	\$5,090	364	\$9,428	365	\$12,440	405	\$16,794	445	\$21,832
50	326	\$7,442	326	\$6,250	365	\$10,862	404	\$15,998	445	\$21,598	445	\$28,077
60	364	\$9,763	364	\$8,932	404	\$12,527	405	\$17,670	445	\$23,855	447	\$31,011
75	365	\$12,268	365	\$11,360	405	\$14,571	444	\$19,379	447	\$26,162	449	\$34,011
100	405	\$15,197	405	\$13,051	444	\$19,109	445	\$26,232	449	\$35,413	449	\$46,037
125	444	\$18,911	444	\$16,119	445	\$21,858	447	\$29,071	449	\$39,245	—	—
150	445	\$23,273	445	\$19,131	447	\$25,445	449	\$34,885	—	—	—	—
200	447	\$29,411	447	\$23,309	—	—	449	\$46,513	—	—	—	—
250	—	—	449	\$29,136	—	—	—	—	—	—	—	—

\* Must Specify Division, Class, Group And Temperature Code At Order Entry.

\* Maximum Rating For Each RPM Available As 1.0 S.F. Only.

DISCOUNT SYMBOL: DS-3CXM

† All marks shown within this document are properties of their respective owners.

