

Three Phase Modifiable NEMA^{®†} Horizontal Motors Totally Enclosed Fan Cooled (TEFC)



WEN

Washdown Duty, Premium Efficient - IE3

- * Internal Moistureproof Sealer
- * 303 Stainless Steel Shaft
- * USDA Approved Non-Toxic White Epoxy Paint
- * Class F Insulation
- * 1.15 Service Factor

- * Double Contact Sealed Ball Bearings
- * V-Ring Rotating Contact Shaft Seals
- * Smooth Design For Easy Cleaning
- * ONLY LIMITED MODIFICATIONS AVAILABLE
- * Only Limited Modifications Available

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
0.25	143	\$631	143	\$572	143	\$744	145	\$1,139	—	—	—	—
0.33	143	\$631	143	\$572	143	\$744	145	\$1,347	—	—	—	—
0.5	143	\$631	143	\$572	143	\$744	145	\$1,983	—	—	—	—
0.75	143	\$631	143	\$572	143	\$744	145	\$2,167	—	—	—	—
1	143	\$706	143	\$959	145	\$945	182	\$2,275	—	—	—	—
1.5	143	\$769	145	\$1,069	182	\$1,074	184	\$2,388	—	—	—	—
2	145	\$1,009	145	\$1,300	184	\$1,442	213	\$2,508	—	—	—	—
3	182	\$1,342	182	\$1,500	213	\$1,690	215	\$2,633	—	—	—	—
5	184	\$1,502	184	\$1,564	215	\$1,972	—	—	—	—	—	—
7.5	213	\$1,688	213	\$2,213	—	—	—	—	—	—	—	—
10	215	\$1,971	215	\$2,394	—	—	—	—	—	—	—	—

* Washdown Duty Available Through 215 Frame.

* For Larger Frames, Refer To "Washdown Features" In The Accessories/Modifications Section.

* 60Hz 3600, 1800, 1200 & 900 RPM Motors Comply With U.S. D.O.E.'s Efficiency Regulation 10 CFR Section 431 Subpart B – Electric Motors (See Appendix A2 & A3 For Nominal Efficiency Table)

DISCOUNT SYMBOL: DS-3FM

† All marks shown within this document are properties of their respective owners.



Three Phase Modifiable NEMA^{®†} Horizontal Motors Totally Enclosed Fan Cooled (TEFC)

Cannot Be Used For Motors Covered by IHP Motor Final Rule 2016



FWEN

Washdown Duty, Energy Efficient

* BISSC Certified (180-210 Frame)

* Internal Moistureproof Sealer

* 303 Stainless Steel Shaft

* USDA Approved Non-Toxic White Epoxy Paint

* Class F Insulation

* 1.15 Service Factor

* Double Contact Sealed Ball Bearings

* V-Ring Rotating Contact Shaft Seals

* Smooth Design For Easy Cleaning

* Only Limited Modifications Available

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
1	143	\$635	143	\$863	145	\$851	182	\$2,048	—	—	—	—
1.5	143	\$692	145	\$962	182	\$967	184	\$2,149	—	—	—	—
2	145	\$908	145	\$1,170	184	\$1,298	213	\$2,257	—	—	—	—
3	182	\$1,208	182	\$1,350	213	\$1,521	215	\$2,370	—	—	—	—
5	184	\$1,352	184	\$1,408	215	\$1,775	—	—	—	—	—	—
7.5	213	\$1,519	213	\$1,992	—	—	—	—	—	—	—	—
10	215	\$1,774	215	\$2,155	—	—	—	—	—	—	—	—

* Washdown Duty Available Through 215 Frame.

* For Larger Frames, Refer To "Washdown Features" In The Accessories/Modifications Section.

* 60Hz 3600, 1800, 1200 & 900 RPM Motors Comply With U.S. D.O.E.'s Efficiency Regulation 10 CFR Section 431 Subpart B – Electric Motors (See Appendix A2 & A3 For Nominal Efficiency Table)

DISCOUNT SYMBOL: DS-3FM

† All marks shown within this document are properties of their respective owners.



Three Phase Modifiable NEMA[®] Horizontal Motors Totally Enclosed Fan Cooled (TEFC)

Cannot Be Used For Motors Covered by IHP Motor Final Rule 2016



Washdown Duty, Standard Efficient

* BISSC Certified (180-210 Frame)

* Internal Moistureproof Sealer

* 303 Stainless Steel Shaft

* USDA Approved Non-Toxic White Epoxy Paint

* Class F Insulation

* 1.15 Service Factor

* Double Contact Sealed Ball Bearings

* V-Ring Rotating Contact Shaft Seals

* Smooth Design For Easy Cleaning

* Only Limited Modifications Available

HP	RPM @ 60 Hertz											
	3600		1800		1200		900		720		600	
	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List	Frame	List
0.25	143	\$505	143	\$458	143	\$595	145	\$911	—	—	—	—
0.33	143	\$505	143	\$458	143	\$595	145	\$1,078	—	—	—	—
0.5	143	\$505	143	\$458	143	\$595	145	\$1,587	—	—	—	—
0.75	143	\$505	143	\$458	143	\$595	145	\$1,734	—	—	—	—
1	143	\$565	143	\$767	145	\$756	182	\$1,820	—	—	—	—
1.5	143	\$615	145	\$855	182	\$859	184	\$1,910	—	—	—	—
2	145	\$807	145	\$1,040	184	\$1,154	213	\$2,006	—	—	—	—
3	182	\$1,074	182	\$1,200	213	\$1,352	215	\$2,106	—	—	—	—
5	184	\$1,202	184	\$1,251	215	\$1,578	—	—	—	—	—	—
7.5	213	\$1,350	213	\$1,770	—	—	—	—	—	—	—	—
10	215	\$1,577	215	\$1,915	—	—	—	—	—	—	—	—

* Washdown Duty Available Through 215 Frame.

* For Larger Frames, Refer To "Washdown Features" In The Accessories/Modifications Section.

* 60Hz 3600, 1800, 1200 & 900 RPM Motors Comply With U.S. D.O.E.'s Efficiency Regulation 10 CFR Section 431 Subpart B – Electric Motors (See Appendix A2 & A3 For Nominal Efficiency Table)

DISCOUNT SYMBOL: DS-3FM

† All marks shown within this document are properties of their respective owners.

