

Modifiable TITAN® Horizontal Motors

Accessories and Modifications Index To Modifications

A	
Abrasion Resistance (See "Insulation Systems")	M-30
Accessory Conduit Box (See "Conduit Box, Accessory")	M-15
Across-The-Line Start (See "Starting Methods")	M-45
Additional Stamping On Nameplate (See "Nameplates")	M-35
Adjustable Motor Base (See "Bases, Slide Rails")	M-13
Air Filters (See "Enclosures, Weather Protected II")	M-20
Air Pressure Differential Switch (See "Enclosures, Weather Protected II")	M-21
Air Temperature Sensor (See "Enclosures, Weather Protected II")	M-22
Altitude	M-10
Ambient	M-11
Arctic Duty	M-11
Assembly Position	M-12
Automotive Duty	M-12
Autotransformer Starting (See "Starting Methods")	M-45
B	
Balance, Special	M-12
Bases, Dowel Pin Holes	M-12
Bases, Slide Rails	M-13
Bases, Sole Plate	M-13
Bases, Vertical Jacking Provisions	M-13
Bearing Thermal Protection (See "Thermal Protection, Bearing")	M-52
Bearings, Insulated	M-13 - M-14
Bearings, Oil Sump Heater	M-14
Bearings, Roller	M-13
Bearings, Sleeve	M-13
Bearings, Spare Set	M-13
Breakdown Torque (See "Torque")	M-57
Bronze Fan (See "Enclosures, TEFC")	M-23
Bus Bar Connection (See "Conduit Box")	M-17
C	
C-Face (See "Endshields")	M-26
Calibration Test (See "Tests")	M-50
Conduit Box (See "Conduit Box")	M-15
Class (F,H) Insulation (See "Insulation Class")	M-29
Code Letter Lower Than Standard (See "Starting Current")	M-44
Complete Initial Test (See "Tests")	M-50
Conduit Box, Accessory	M-15
Conduit Box, Bus Bar w/ Standoff Insulator	M-17
Conduit Box	M-16
Conduit Box, Drains/Breathers	M-10
Conduit Box, Hinged Door	M-18
Conduit Box, Lead Positioning Gasket	M-18
Conduit Box, Oversized	M-15
Conduit Box, Space Heater	M-18
Constant Level Oilers	M-34
Copper Bar Rotor	M-41
CORRO-DUTY® (See "Enclosures, TEFC & TEAAC")	M-24
CORRO-DUTY® Paint Job (See "Paint")	M-36
CORRO-DUTY®, IEEE-841™ Features (See "Enclosures, TEFC & Div. 1 Hazardous Location")	M-23
Crating (See "Export Boxing")	M-27
Crusher Duty	M-19
Current Transformers (See "Conduit Box")	M-17
D	
D-Flange (See "Endshields")	M-26
Dial Thermometer (See "Thermal Protection, Bearings")	M-51
Dielectric Absorption Ratio (See "Tests, Polarization Index")	M-50
Direct-On-Line Start (See "Starting Methods")	M-45
Division 1 Hazardous Location (See "Enclosures")	M-25
Division 2 Hazardous Location (See "Enclosures")	M-25
Division 2 Non-Listed (See "Enclosures")	M-26
Double End Shaft (See "Shaft")	M-42
Dowel Pin Holes (See "Bases")	M-12
Drains/Breathers	M-19
Drains/Breathers In Conduit Box (See "Conduit Box")	M-17
Dripproof Enclosure (See "Enclosures")	M-20
E	
Efficiency Class	M-19
Elevation (See "Altitude")	M-10
Enclosure, ODP (Refer To Base List Price Section)	M-20
Enclosure TEAAC (Refer To Base List Price Section)	M-24
Enclosure, TEFC (Refer To Base List Price Section)	M-22 - M-23
Enclosure, WPII (Refer To Base List Price Section)	M-21
Enclosures, Division 1, Hazardous Location (Refer To Base List Price)	M-25
Enclosures, Other	M-20 - M-26
Encoders	M-26
Endshields, C-Face/D-Flange	M-26
EVERSEAL®† (See "Insulation Systems")	M-30
Export Boxing	M-27
F	
Fabricated Steel Sound Abate Fan Cover (See "Enclosures, TEFC")	M-23
Filters (See "Air Filters")	M-21
Fire Pump Motor	M-27
Flood Oil Lube System (See "Lubrication")	M-34
Foot Flatness, Special	M-27
Frequency, 50 Hertz	M-27
Full Load Test (See "Tests, Complete Initial")	M-50
Fungus Protection (See "Insulation, Tropical Protection")	M-31
G	
Grease Fittings	M-27
Grounding	M-28
Grounding Ring, Shaft (See "Grounding")	M-28
Grounding Strap	M-28
H	
Hardware, Stainless Steel	M-28
Heaters, Oil Sump Heaters (See "Bearings")	M-14
Heaters, Space Heaters (See "Space Heaters")	M-43 - M-44
Hertz (See "Frequency")	M-27
High Inertia Load	M-28
High Tensile Steel Shaft (See "Shaft, Special")	M-42
High Torque (See "Torque")	M-57
Hinged Conduit Box Door (See "Conduit Box")	M-18
Horsepower, Non-Standard	M-28
I	
IEEE-841™ Motors	M-23 - M-26
IEEE-45™ Spec, Marine Duty (See "Marine Duty")	M-34
Immersion Test (See "Tests")	M-50
Inertia (See "High Inertia Load")	M-28
INPRO/SEAL®† (See "Seals")	M-40
Inrush (See "Starting Current")	M-44
Insulated Bearings (See "Bearings, Insulated")	M-13
Insulation Class, Class "F"	M-29
Insulation Class, Class "H"	M-29
J	
Jackscrows (See "Bases, Vertical Jacking Provisions")	M-13

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors

Accessories and Modifications Index To Modifications

L	
Lead Lugs (See "Leads")	M-33
Lead Positioning Gasket (See "Conduit Box")	M-18
Leads, Longer Than Standard	M-33
Leads, Sealed (Potted)	M-33
Leads, Two Hole Lead Lugs	M-33
Lightning Arrestors / Surge Capacitors (See "Surge Protection")	M-47
Locked Rotor Torque (See "Torque")	M-57
Locknut On End Of Shaft (See "Shaft")	M-42
Low Starting Current (See "Starting Current")	M-44
Low Voltage Starting (See "Starting Methods")	M-47
Lubrication, Constant Level Oiler	M-34
Lubrication, Flood Oil Lube System	M-34
Lubrication, Oil Mist	M-34

M	
Marine Duty	M-34
Multi-Speed	M-35

N	
Nameplate, Additional	M-35
Nameplate, Phase Sequence	M-35
Nameplate, Rotation Arrow	M-35
Nameplate, Shipping Tag	M-35
Nameplate, Special Data	M-35
Nameplate, Starting Duty	M-36
Noise Test (See "Tests, Sound Test")	M-50
Non-Standard Horsepower (See "Horsepower, Non-Standard")	M-28

O	
Oil Mist Lubrication (See "Lubrication")	M-34
Oil Sump Heater (See "Bearings")	M-14
Open Drip-proof (See "Enclosures")	M-20
Overload (See "Service Factor")	M-46
Oversized Conduit Box (See "Conduit Box, Oversized")	M-15

P	
Paint, CORRO-DUTY® Paint Job	M-36
Paint, Special	M-36
Paper Shipping Tag (See "Nameplate")	M-35
Part Winding Start (See "Starting Method")	M-46
Phase Sequence Plate (See "Nameplates")	M-35
Polarization Index Test (See "Tests")	M-50
Potted Leads (See "Leads, Sealed")	M-33
Power Factor Correction Capacitors	M-36
Premium Efficiency (See "Efficiency Class")	M-19
Premium EVERSEAL®† (See "Insulation Systems")	M-30
Prints & Data (Submittals)	M-40
Proximity Probes (See "Vibration Detectors")	M-57

R	
Reduced Sound Level (See "Sound Level")	M-22
Reduced Voltage Start (See "Starting Method")	M-47
Rodent Screens (See "Screens")	M-41
Roller Bearings (See "Bearings, Roller")	M-13
Rotation Arrow (See "Nameplates")	M-35
Rotor, Aluminum Bar	M-41
Rotor, Copper Bar	M-41
RTD's, Bearing (See "Thermal Protection, Bearings")	M-52
RTD's, Winding (See "Thermal Protection, Windings")	M-56

S	
Screens	M-41
Sealant, RTV	M-24
Sealed Leads (See "Leads, Sealed")	M-33
Seals	M-41
Seals, Shaft Grounding Ring (See "Grounding")	M-28
Service Factor	M-42
Servit Post (See "Conduit Box")	M-18
Shaft Grounding Ring (See "Grounding")	M-28
Shaft Grounding Ring with Labyrinth Seal (See "Grounding")	M-28
Shaft Slinger (See "Seals")	M-41
Shaft, Special	M-42
Shaft, Special Material	M-42
Shaft, Special Shaft Runout	M-43
Shaft, Standard Double End	M-43
Shaft, Tapped Hole	M-43
Shaft, Threaded Shaft	M-43
Shafts, Locknut On End	M-43
Shafts, Tapered	M-43
Shipping Tag (See "Nameplates")	M-35
Short Commercial Test (See "Tests")	M-50
Sleeve Bearings (See "Bearings")	M-13
Slide Rails (See "Bases")	M-13
Slinger (See "Seals")	M-41
Software (See "Prints & Data")	M-40
Sole Plate (See "Bases")	M-13
Sound Abatement Treatment (See "Enclosures, Weather Protected II")	M-22
Sound Level Below Normal	M-22
Sound Test (See "Tests")	M-50
Space Heater	M-47
Space Heater in Conduit Box (See "Conduit Box")	M-18
Spare Bearings (See "Bearings, Spare Set")	M-13 - M-14
Special Balance (See "Balance, Special")	M-12
Special Foot Flatness (See "Foot Flatness, Special")	M-27
Special I.D. Plates (See "Nameplates")	M-35
Special Lubrication (See "Lubrication")	M-34
Special Paint (See "Paint")	M-36
Special Shaft (See "Shaft, Special")	M-42
Special Shaft Material (See "Shaft, Special")	M-42
Special Shaft Runout (See "Shaft, Special")	M-43
Special Voltage (See "Voltage")	M-58
Special Warranty (See "Warranty")	I-5
Splash Proof Enclosure (See "Enclosures")	M-22
Spray Test (See "Tests")	M-50
Stainless Steel Hardware (See "Hardware, Stainless Steel")	M-28
Stainless Steel Shaft (See "Shaft, Special")	M-46
Stainless Steel Tubes (See "Enclosures, TEAAC")	M-24
Stamping On Nameplate (See "Nameplates")	M-35
Standard Efficiency (See "Efficiency Class")	M-19
Standoff Insulators (See "Conduit Box")	M-17
Starting Current, Lower Than Standard	M-44
Starting Duty Nameplates (See "Nameplates")	M-36
Starting Method	M-45
Starting Torque (See "Torque")	M-57
Submittals (See "Prints & Data")	M-40
Surge Protection (Lightning Arrestors/Surge Capacitors)	M-31

T	
Taconite Service (See "Seals")	M-42
Tapered Shaft (See "Shaft")	M-43
Tapered Hole In Shaft (See "Shaft")	M-43

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors

Accessories and Modifications Index To Modifications

Temperature Relay, Bearing (See "Thermal Protection, Bearing") M-51
 Temperature Rise Lower Than Normal M-47 - M-49
 Tests M-50
 THERMA SENTRY®, Winding (See "Thermal Protection, Windings") M-54
 Thermal Protection, Bearings M-52 - M-53
 Thermal Protection, Windings M-53 - M-54
 Thermistors (See "Thermal Protection") M-54
 Thermocouples (See "Thermal Protection") M-55
 Thermostats (See "Thermal Protection") M-54
 Threaded Shaft (See "Shaft") M-42
 Torque, High. M-57
 Totally Enclosed Enclosure (See "Enclosures") M-22, M-24, M-25
 Tropical Protection (See "Insulation System") M-31
 Two-Speed Motors (See "Multi-Speed") M-35

U

UL®† Listed Motors (See "Enclosures, Hazardous Location") M-25 - M-26

V

Variable Speed Drive Motor (See "Inverter Duty") M-31
 Vertical Jacking Provisions (See "Bases") M-13
 VFD Duty (See "Inverter Duty") M-31
 Vibration Detector M-57
 Vibration Test (See "Tests") M-50
 Voltages, Special M-58
 VPI Insulation (See "Insulation Systems") M-30

W

Warranty, Special. I-5
 Weather Protected Enclosure (See "Enclosures") M-21 - M-22
 Winding Thermal Protection (See "Thermal Protection") M-53
 Wk² (See "High Inertia Load") M-28
 Wye Start-Delta Run (See "Starting Method") M-45

† All marks shown within this document are properties of their respective owners.

