

Modifiable TITAN® Horizontal Motors

Horizontal Open Drip Proof

Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6DM)

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA® Design B
- Re-Greasable Ball Bearings

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
150	3600*	----	----	447	\$16,802	447	\$18,342	----	----
	1800	----	----	447	\$17,050	449	\$17,006	----	----
	1200	----	----	449	\$20,192	449	\$22,212	----	----
	900	----	----	5008	\$27,476	5008	\$28,300	----	----
	720	5008	\$23,630	5010	\$29,872	5010	\$30,768	----	----
	600	5010	\$26,135	5010	\$31,444	5010	\$32,387	----	----
	514	5012	\$32,423	5012	\$38,536	5012	\$42,390	----	----
200	3600*	----	----	447	\$18,482	447	\$20,331	----	----
	1800	----	----	447	\$17,171	449	\$18,342	----	----
	1200	----	----	449	\$21,346	449	\$23,481	----	----
	900	----	----	5008	\$28,575	5008	\$29,432	----	----
	720	5008	\$24,658	5010	\$28,915	5010	\$31,807	----	----
	600	5010	\$29,988	5012	\$33,136	5012	\$36,450	----	----
	514	5012	\$35,827	5012	\$43,332	5012	\$47,664	----	----
250	3600*	----	----	449	\$20,700	449	\$22,770	5010	\$32,484
	1800	----	----	449	\$18,342	449	\$20,176	5008	\$31,081
	1200	----	----	449	\$21,988	5008	\$27,053	5010	\$33,604
	900	5008%	\$25,644	5008	\$27,952	5008	\$30,748	5012	\$40,530
	720	5008	\$26,557	5010	\$32,610	5010	\$35,871	----	----
	600	5012	\$37,096	5012	\$40,246	5012	\$44,271	----	----
	514	5810	\$47,077	5810	\$49,500	5810	\$54,450	----	----
300	3600*	----	----	5008	\$28,054	5008	\$28,922	5010	\$33,907
	1800	----	----	5008	\$24,427	5008	\$25,160	5010	\$32,644
	1200	----	----	5008	\$28,096	5008	\$28,939	5012	\$35,249
	900	5008	\$26,670	5008	\$30,897	5010	\$33,987	5810	\$52,442
	720	5010	\$30,448	5010	\$35,271	5010	\$38,798	----	----
	600	5810	\$47,365	5810	\$51,808	5810	\$56,988	----	----
	514	5811	\$50,446	5811	\$54,519	5811	\$59,971	----	----
350	3600*	----	----	5008	\$29,176	5010	\$30,658	5010	\$37,692
	1800	----	----	5008	\$28,199	5008	\$29,044	5010	\$33,950
	1200	----	----	5008	\$29,025	5008	\$29,896	5810	\$53,929
	900	5010	\$27,736	5010	\$33,421	5010	\$36,764	5811	\$56,481
	720	5012	\$34,209	5012	\$39,519	5012	\$43,471	----	----
	600	5811	\$51,738	5811	\$53,423	5811	\$58,765	----	----
	514	5812	\$55,535	5812	\$57,732	5812	\$63,504	----	----
400	3600*	----	----	5008	\$30,343	5010	\$31,669	5010	\$41,673
	1800	----	----	5008	\$29,130	5008	\$30,004	5012	\$35,897
	1200	5010	\$27,500	5008	\$29,983	5008	\$31,185	5811	\$55,558
	900	5010	\$29,728	5010	\$35,428	5010	\$38,970	5812	\$60,923
	720	5810	\$47,192	5810	\$48,288	5810	\$53,117	----	----
	600	5811	\$54,115	5811	\$57,681	5811	\$63,449	----	----
	514	5812	\$60,127	5812	\$62,538	5812	\$68,792	----	----

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

% Cannot be used for motors covered by EISA-2007 / IHP Motor Final Rule 2016

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors

Horizontal Open Drip Proof

Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6DM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
450	3600*	----	----	5010	\$31,344	5010	\$34,368	5012	\$45,303
	1800	5008%	\$25,685	5008	\$30,091	5010	\$31,084	5012	\$38,585
	1200	5010	\$29,453	5008	\$30,972	5010	\$33,749	5812	\$58,731
	900	5010	\$32,527	5012	\$38,469	5012	\$42,316	5812	\$66,231
	720	5810	\$48,346	5810	\$52,427	5811	\$56,985	----	----
	600	5812	\$56,792	5812	\$60,462	5812	\$66,508	----	----
	514	5813	\$62,751	5813	\$67,334	5813	\$74,068	----	----
500	3600*	----	----	5010	\$33,893	5010	\$37,282	5012	\$49,145
	1800	5010%	\$28,119	5010	\$31,084	5010	\$32,016	5012	\$41,080
	1200	5010	\$32,432	5010	\$35,652	5010	\$39,217	5812	\$62,654
	900	5810	\$49,269	5810	\$51,692	5810	\$56,862	5812	\$70,500
	720	5811	\$52,962	5811	\$54,522	5812	\$59,973	----	----
	600	5812	\$60,912	5812	\$63,415	5813	\$69,757	----	----
	514	8007	\$102,808	8007	\$102,808	8007	\$113,135	----	----
600	3600*	5010	\$33,993	5010	\$37,385	5010	\$41,123	----	----
	1800	5010	\$28,576	5010	\$32,110	5010	\$34,927	5811	\$54,544
	1200	5012	\$37,131	5012	\$40,258	5012	\$44,283	5813	\$69,115
	900	5810	\$52,385	5810	\$55,212	5811	\$60,733	6811	\$86,141
	720	5812	\$53,155	5812	\$57,928	5812	\$63,720	----	----
	600	5813	\$68,308	5813	\$74,031	8006	\$108,704	----	----
	514	8007	\$106,962	8007	\$106,962	8007	\$117,658	----	----
700	3600*	5012	\$40,154	5012	\$40,154	5012	\$44,169	----	----
	1800	5010	\$34,830	5010	\$34,830	5010	\$38,313	5812	\$58,962
	1200	5012	\$41,827	5012	\$41,827	5012	\$46,010	5813	\$71,769
	900	5811	\$57,577	5811	\$57,577	5811	\$63,335	6811	\$86,481
	720	5812	\$64,552	5812	\$64,552	5813	\$71,008	----	----
	600	8007	\$103,985	8007	\$103,985	8008	\$114,383	----	----
	514	8008	\$113,342	8008	\$113,342	8008	\$124,673	----	----
800	3600*	5012	\$43,154	5012	\$43,154	5012	\$47,469	5813	\$71,712
	1800	5012	\$37,908	5012	\$37,908	5012	\$41,699	5813	\$64,500
	1200	5810	\$54,173	5810	\$54,173	5811	\$59,590	6811	\$86,704
	900	5811	\$61,293	5812	\$61,293	5812	\$67,423	8008	\$118,459
	720	5813	\$71,192	6810	\$77,023	6810	\$80,712	----	----
	600	8008	\$109,731	8008	\$109,731	8008	\$120,711	----	----
	514	8009	\$123,542	8009	\$123,542	8009	\$135,900	----	----
900	3600*	5012	\$50,654	5012	\$50,654	5012	\$55,719	8009#&	\$130,267
	1800	5012	\$41,760	5012	\$41,760	5012	\$45,936	5813	\$71,077
	1200	5811	\$57,001	5811	\$57,001	5812	\$62,701	6811	\$88,674
	900	5812	\$66,810	5812	\$66,810	5812	\$73,491	8009	\$123,395
	720	8008	\$109,947	8008	\$109,947	8008	\$113,596	----	---
	600	----	----	8008	\$116,158	8009	\$127,765	----	---
	514	----	----	8010	\$142,281	8010	\$156,462	----	---
1000	3600*	5012	\$54,115	5012	\$54,115	5012	\$59,527	8009#&	\$132,474
	1800	5012	\$44,896	5012	\$44,896	5012	\$49,386	5813	\$79,604
	1200	5811	\$61,333	5811	\$61,333	5813	\$67,467	8008	\$116,980
	900	5813	\$72,346	5813	\$72,346	6810	\$79,581	8010	\$136,965

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

% Cannot be used for motors covered by EISA-2007 / IHP Motor Final Rule 2016

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors

Horizontal Open Drip Proof

Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6DM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
1000	720	8008	\$112,191	8008	\$112,191	8009	\$121,465	----	----
	600	----	----	8009	\$127,350	8009	\$140,077	----	----
	514	----	----	9604	\$169,548	9604	\$175,292	----	----
1250	3600*	----	----	5812	\$66,808	5812	\$73,488	8009#&	\$134,718
	1800	----	----	5812	\$60,653	5812	\$66,719	6811	\$87,947
	1200	----	----	5813	\$72,141	5813	\$79,355	8009	\$115,500
	900	----	----	6811	\$82,510	6811	\$90,762	9604	\$142,038
	720	----	----	8009	\$121,165	8010	\$133,282	----	----
	600	----	----	8009	\$140,885	8010	\$154,973	----	----
	514	----	----	9605	\$172,939	9606	\$184,050	----	----
1500	3600*	----	----	5813	\$77,423	5813	\$85,165	8010#&	\$138,242
	1800	----	----	5812	\$66,644	5812	\$73,308	8009	\$107,192
	1200	----	----	6811	\$79,491	6811	\$87,440	8010	\$123,808
	900	----	----	8008	\$106,258	8008	\$116,883	9605	\$153,402
	720	----	----	8010	\$128,423	8011	\$141,265	----	----
	600	----	----	9606	\$157,788	9607	\$173,596	----	----
	514	----	----	9606	\$175,673	9607	\$193,235	----	----
1750	3600*	----	----	5813	\$85,269	5813	\$93,796	8010#&	\$143,772
	1800	----	----	5813	\$73,308	5813	\$80,639	8010	\$117,912
	1200	----	----	8008	\$103,615	8008	\$113,977	9606	\$148,673
	900	----	----	8008	\$112,615	8009	\$123,877	9606	\$164,135
	720	----	----	8010	\$142,004	9606	\$156,204	----	----
	600	----	----	9607	\$165,681	9607	\$182,238	----	----
	514	----	----	9607	\$182,700	9607	\$200,885	----	----
2000	3600*	----	----	8009#&	\$117,635	8009#&	\$129,398	8010#&	\$150,650
	1800	----	----	5813	\$83,901	5813	\$92,290	8011	\$135,369
	1200	----	----	8009	\$109,096	8009	\$120,006	9607	\$159,923
	900	----	----	8009	\$116,988	8010	\$128,687	9607	\$176,112
	720	----	----	9607	\$160,200	9607	\$176,215	----	----
	600	----	----	9607	\$173,965	9607	\$191,354	----	----
2250	3600*	----	----	8009#&	\$127,116	8010#&	\$139,828	----	----
	1800	----	----	8009	\$106,327	8009	\$116,960	8011	\$142,673
	1200	----	----	8009	\$117,277	8010	\$129,005	9608	\$163,846
	900	----	----	8010	\$130,327	9606	\$160,246	9608	\$199,615
	720	----	----	9607	\$168,208	9607	\$185,031	----	----
2500	3600*	----	----	8010#&	\$139,387	8010#&	\$153,325	----	----
	1800	----	----	8009	\$113,538	8010	\$124,892	8011	\$156,940
	1200	----	----	8010	\$133,269	8011	\$146,596	----	----
	900	----	----	9605	\$148,962	9606	\$163,858	----	----
3000	3600*	----	----	----	----	----	----	----	----
	1800	----	----	8010	\$128,365	8011	\$141,202	----	----
	1200	----	----	9607	\$159,531	9607	\$175,488	----	----
	900	----	----	9607	\$167,423	9607	\$184,165	----	----
3500	1200	----	----	9607	\$167,513	9607	\$184,265	----	----
	900	----	----	9608	\$182,654	9608	\$200,919	----	----
4000	1200	----	----	9608	\$178,235	9608	\$196,062	----	----

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors

Horizontal Open Drip Proof

Anti-Friction Ball Bearings - Premium Efficient (DS-6DM)

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA®† Design B
- Re-Greasable Ball Bearings
- Department of Energy Compliance Certification Number CC030A

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
150	3600*	----	----	447	\$19,322	447	\$21,003	----	----
	1800	----	----	447	\$18,332	449	\$18,882	----	----
	1200	----	----	449	\$23,221	449	\$25,240	----	----
	900	----	----	5008	\$30,223	5008	\$31,130	----	----
	720	5008	\$25,993	5010	\$32,859	5010	\$33,845	----	----
	600	5010	\$30,055	5010	\$34,017	5010	\$36,975	----	----
	514	5012	\$37,287	5012	\$44,317	5012	\$48,171	----	----
200	3600*	----	----	447	\$21,255	447	\$23,103	----	----
	1800	----	----	447	\$19,176	449	\$20,843	----	----
	1200	----	----	449	\$24,548	449	\$26,683	----	----
	900	5008@	\$25,953	5008	\$31,432	5008	\$32,375	----	----
	720	5008	\$27,124	5010	\$33,253	5010	\$36,144	----	----
	600	5010	\$34,487	5012	\$38,107	5012	\$41,421	----	----
	514	5012	\$41,202	5012	\$49,831	5012	\$54,165	----	----
250	3600*	----	----	5008	\$30,272	5010	\$31,701	5010	\$33,120
	1800	----	----	5008	\$29,263	5008	\$30,375	5008	\$34,189
	1200	----	----	5008	\$31,111	5010	\$32,355	5010	\$36,964
	900	5008@	\$28,208	5008	\$32,145	5010	\$34,940	5012	\$44,723
	720	5008	\$30,540	5010	\$37,501	5010	\$40,763	----	----
	600	5012	\$42,661	5012	\$46,283	5012	\$50,308	----	----
	514	5810	\$54,138	5810	\$56,925	5810	\$61,875	----	----
300	3600*	----	----	5010	\$31,857	5010	\$32,813	5010	\$37,415
	1800	----	----	5008	\$30,901	5010	\$31,857	5010	\$35,908
	1200	----	----	5010	\$32,740	5010	\$33,722	5012	\$38,895
	900	5008	\$29,337	5010	\$35,532	5010	\$38,620	5810	\$57,865
	720	5010	\$35,015	5010	\$40,561	5010	\$44,088	----	----
	600	5810	\$54,471	5810	\$59,579	5810	\$64,760	----	----
	514	5811	\$58,013	5811	\$62,698	5811	\$68,150	----	----
350	3600*	----	----	5010	\$32,094	5010	\$33,724	5010	\$41,590
	1800	----	----	5008	\$31,614	5010	\$32,562	5010	\$37,345
	1200	5008@	\$26,228	5010	\$33,820	5010	\$34,835	5810	\$59,322
	900	5010	\$30,535	5010	\$38,435	5010	\$41,776	5811	\$62,319
	720	5012	\$39,340	5012	\$45,448	5012	\$49,400	----	----
	600	5811	\$59,499	5811	\$61,437	5811	\$66,779	----	----
	514	5812	\$63,865	5812	\$66,391	5812	\$72,165	----	----
400	3600*	----	----	5010	\$33,377	5010	\$35,925	5010	\$45,984
	1800	----	----	5010	\$32,706	5010	\$33,687	5012	\$39,612
	1200	5010	\$30,248	5010	\$34,936	5012	\$35,984	5811	\$61,188
	900	5010	\$34,187	5010	\$40,742	5012	\$44,285	5812	\$67,223
	720	5810	\$54,271	5810	\$55,532	5810	\$60,361	----	----
	600	5811	\$62,233	5811	\$66,333	5811	\$72,102	----	----
	514	5812	\$69,147	5812	\$71,919	5812	\$78,173	----	----

Notes:

- * Motor is Uni-Directional (CCW Rotation F.O.D.E.)
- ** Motor is Suitable for 1.0 SF, Class F Rise Only
- @ 60Hz motor complies with U.S. D.O.E.'s Efficiency regulation 10 CFR Section 431 Subpart B – electric motors (see Appendix D for Nominal Efficiency Table)

- # Motor Includes Sleeve Bearings
- & Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors

Horizontal Open Drip Proof

Anti-Friction Ball Bearings - Premium Efficient (DS-6DM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
450	3600*	5012@	\$34,134	5010	\$35,931	5010	\$39,055	5012	\$49,990
	1800	5010@	\$28,966	5010	\$33,038	5010	\$34,383	5012	\$42,576
	1200	5012	\$34,225	5012	\$35,283	5012	\$38,352	5812	\$64,731
	900	5010	\$37,407	5012	\$44,240	5012	\$48,087	5812	\$72,692
	720	5810	\$55,598	5810	\$60,192	5811	\$65,425	----	----
	600	5812	\$65,311	5812	\$69,531	5812	\$75,577	----	----
	514	5813	\$72,164	5813	\$77,433	5813	\$84,167	----	----
500	3600*	5012@	\$37,028	5010	\$38,977	5010	\$42,367	5012	\$54,228
	1800	5010@	\$29,598	5010	\$34,029	5010	\$35,415	5012	\$45,330
	1200	5012	\$39,770	5012	\$41,000	5012	\$44,565	5812	\$69,115
	900	5810	\$56,660	5810	\$59,446	5810	\$64,615	5812	\$77,769
	720	5811	\$60,906	5811	\$62,700	5812	\$68,152	----	----
	600	5812	\$70,049	5812	\$72,928	5813	\$79,269	----	----
	514	8007	\$118,229	8007	\$118,229	8007	\$128,510	----	----
600	3600*	5010	\$39,092	5012	\$42,992	5012	\$46,731	5812	\$68,769
	1800	5010	\$32,863	5010	\$36,515	5010	\$39,690	5811	\$60,009
	1200	5012	\$42,700	5012	\$46,297	5012	\$50,323	5813	\$76,258
	900	5810	\$60,242	5810	\$63,494	5811	\$69,015	6811	\$94,755
	720	5811	\$61,128	5812	\$66,617	5812	\$72,410	----	----
	600	5813	\$78,554	5813	\$85,137	8006	\$123,525	----	----
	514	8007	\$123,006	8007	\$123,006	8007	\$133,702	----	----
700	3600*	5012	\$46,177	5012	\$46,177	5012	\$50,192	5812	\$73,327
	1800	5010	\$40,055	5012	\$40,055	5012	\$43,538	5812	\$65,065
	1200	5012	\$48,102	5012	\$48,102	5012	\$52,284	5813	\$79,188
	900	5811	\$66,213	5811	\$66,213	5811	\$71,971	6811	\$95,423
	720	5812	\$74,235	5812	\$74,235	5813	\$80,690	----	----
	600	8007	\$119,585	8007	\$119,585	8008	\$129,981	----	----
	514	8008	\$130,338	8008	\$130,338	8008	\$141,669	----	----
800	3600*	5012	\$49,627	5012	\$49,627	5012	\$53,942	5813	\$79,131
	1800	5012	\$43,595	5012	\$43,595	5012	\$47,386	5813	\$71,181
	1200	5810	\$62,300	5810	\$62,300	5811	\$67,717	6811	\$95,374
	900	5811	\$70,487	5812	\$70,487	5812	\$76,617	8008	\$130,305
	720	5813	\$81,871	6810	\$84,725	6811	\$88,990	----	----
	600	8008	\$126,190	8008	\$126,190	8008	\$137,163	----	----
	514	8009	\$142,073	8009	\$142,073	8009	\$154,431	----	----
900	3600*	5012	\$58,252	5012	\$58,252	5012	\$63,317	8009#&	\$138,030
	1800	5012	\$48,024	5012	\$48,024	5012	\$52,200	5813	\$78,438
	1200	5811	\$65,551	5811	\$65,551	5812	\$71,251	6811	\$97,541
	900	5812	\$76,831	5812	\$76,831	5812	\$83,513	8009	\$135,734
	720	----	----	8007	\$118,760	8008	\$129,087	----	----
	600	----	----	8008	\$133,581	8009	\$145,200	----	----
	514	----	----	8010	\$163,615	8010	\$177,842	----	----
1000	3600*	5012	\$62,233	5012	\$62,233	5012	\$67,644	8009#&	\$140,368
	1800	5012	\$51,631	5012	\$51,631	5012	\$56,121	5813	\$87,842
	1200	5811	\$70,532	5811	\$70,532	5813	\$76,666	8008	\$128,678
	900	5813	\$83,198	5813	\$83,198	6811	\$90,433	8010	\$150,661
	720	----	----	8008	\$126,987	8009	\$138,029	----	----

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

@ 60Hz motor complies with U.S. D.O.E.'s Efficiency regulation 10 CFR Section 431 Subpart B – electric motors (see Appendix D for Nominal Efficiency Table)

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors

Horizontal Open Drip Proof

Anti-Friction Ball Bearings - Premium Efficient (DS-6DM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
1000	600	----	----	8009	\$146,452	8009	\$159,185	----	----
	514	----	----	9604	\$183,248	9604	\$199,183	----	----
1250	3600*	----	----	5812	\$76,829	5812	\$83,510	8009#&	\$146,217
	1800	----	----	5812	\$69,751	5812	\$75,817	6811	\$97,045
	1200	----	----	5813	\$82,962	5813	\$90,177	8009	\$127,442
	900	----	----	6811	\$94,887	6811	\$103,138	9604	\$161,527
	720	----	----	8009	\$139,341	8010	\$151,457	----	----
	600	----	----	8009	\$162,017	8010	\$176,106	----	----
	514	----	----	9605	\$192,410	9606	\$209,135	----	----
1500	3600*	----	----	5813	\$89,037	5813	\$96,779	8010#&	\$152,066
	1800	----	----	5812	\$76,641	5812	\$83,305	8009	\$118,281
	1200	----	----	6811	\$91,415	6811	\$99,363	8010	\$136,615
	900	----	----	8008	\$122,197	8009	\$132,823	9605	\$171,946
	720	----	----	8010	\$147,687	8011	\$160,529	----	----
	600	----	----	9606	\$181,454	9607	\$197,233	----	----
	514	----	----	9606	\$202,015	9607	\$219,588	----	----
1750	3600*	----	----	5813	\$98,060	5813	\$106,587	8010#&	\$158,149
	1800	----	----	5813	\$84,305	5813	\$91,636	8010	\$130,108
	1200	----	----	8009	\$119,158	8010	\$129,519	9606	\$164,054
	900	----	----	8009	\$129,508	8010	\$140,769	9606	\$181,108
	720	----	----	8010	\$163,305	9606	\$177,505	----	----
	600	----	----	9607	\$190,535	9607	\$207,104	----	----
	514	----	----	9607	\$210,104	9607	\$228,375	----	----
2000	3600*	----	----	8009#&	\$129,398	8009#&	\$142,338	----	----
	1800	----	----	5813	\$96,486	5813	\$104,877	----	----
	1200	----	----	8010	\$125,461	8010	\$136,371	9607	\$176,469
	900	----	----	8010	\$134,537	8010	\$146,236	9607	\$194,331
	720	----	----	9606	\$184,223	9607	\$200,250	----	----
	600	----	----	9607	\$191,362	9607	\$210,489	----	----
2250	3600*	----	----	8009#&	\$139,828	8010#&	\$153,811	----	----
	1800	----	----	8009	\$116,960	8010	\$128,656	----	----
	1200	----	----	8010	\$129,005	8010	\$141,905	----	----
	900	----	----	8010	\$143,360	9606	\$176,271	----	----
	720	----	----	9607	\$185,028	9607	\$203,534	----	----
2500	3600*	----	----	8010#&	\$153,325	8010#&	\$168,658	----	----
	1800	----	----	8010	\$124,892	8010	\$137,382	----	----
	1200	----	----	8011	\$146,596	8011	\$161,256	----	----
	900	----	----	9606	\$163,858	9607	\$180,243	----	----
	720	----	----	---	---	---	---	----	----
3000	3600*	----	----	----	----	----	----	----	----
	1800	----	----	8010	\$141,202	8011	\$155,323	----	----
	1200	----	----	9607	\$175,484	9607	\$193,037	----	----
	900	----	----	9607	\$184,165	9607	\$202,582	----	----
3500	1200	----	----	9607	\$184,265	9607	\$202,692	----	----
	900	----	----	9608	\$200,919	9608	\$221,011	----	----
4000	1200	----	----	9608	\$196,058	9608	\$215,668	----	----

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors
Horizontal Open Drip Proof
Anti-Friction Ball Bearings - Standard Efficient (DS-6DM)
Cannot Be Used For Motors Covered by EISA-2007 / IHP Motor Final Rule 2016

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA®† Design B
- Re-Greasable Ball Bearings

HP	RPM @ 60 Hz	Voltage @ 60 Hertz	
		460 or 575V	
		Frame	List
450	3600*	5010%	\$30,721
	1800	5008%	\$24,401
500	3600*	5010%	\$33,326
	1800	5010%	\$28,876

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

% Cannot be used for motors covered by EISA-2007 / IHP Motor Final Rule 2016

† All marks shown within this document are properties of their respective owners.

