

Modifiable TITAN® Horizontal Motors Horizontal Weather Protected Type II Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6PM)

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA®† Design B
- Re-Greasable Ball Bearings
- Provisions For Air Filters

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
150	3600*	----	---	5008	\$30,564	5008	\$31,481	----	---
	1800	----	---	5008	\$28,992	5008	\$29,862	----	---
	1200	----	---	5008	\$28,922	5008	\$29,789	----	---
	900	----	---	5008	\$30,564	5008	\$31,481	----	---
	720	5008	\$27,203	5010	\$34,122	5010	\$35,146	----	---
	600	5010	\$33,975	5010	\$38,454	5010	\$41,412	----	---
	514	5012	\$34,044	5012	\$50,097	5012	\$53,950	----	---
200	3600*	----	----	5008	\$30,886	5008	\$31,813	----	---
	1800	----	---	5008	\$29,227	5008	\$30,104	----	---
	1200	----	---	5008	\$30,097	5008	\$31,000	----	---
	900	5008%	\$27,489	5008	\$33,099	5008	\$35,645	----	---
	720	5008	\$29,094	5010	\$37,590	5010	\$40,482	----	---
	600	5010	\$38,985	5012	\$43,077	5012	\$46,390	----	---
	514	5012	\$46,575	5012	\$56,331	5012	\$60,665	----	---
250	3600*	5008%	\$27,021	5008	\$31,967	5008	\$32,926	5010	\$39,906
	1800	5008%	\$26,009	5008	\$30,250	5008	\$31,157	5008	\$34,977
	1200	5008%	\$26,084	5008	\$31,150	5008	\$32,085	5012	\$41,217
	900	5008%	\$28,928	5008	\$36,338	5008	\$39,133	5810	\$60,939
	720	5008	\$34,524	5010	\$42,393	5010	\$45,654	----	---
	600	5012	\$48,225	5012	\$52,320	5012	\$56,345	----	---
	514	5810	\$61,200	5810	\$64,350	5810	\$69,300	----	---
300	3600*	5008%	\$30,072	5008	\$32,988	5008	\$35,528	5010	\$44,410
	1800	5008%	\$26,718	5008	\$31,309	5008	\$32,248	5010	\$39,459
	1200	5008%	\$30,216	5008	\$32,241	5008	\$33,208	5810	\$62,138
	900	5008	\$30,930	5008	\$40,165	5010	\$43,255	5810	\$65,023
	720	5010	\$39,582	5010	\$45,852	5010	\$49,379	----	---
	600	5810	\$61,575	5810	\$67,350	5810	\$72,531	----	---
	514	5811	\$65,580	5811	\$70,875	5811	\$76,327	----	---
350	3600*	5008%	\$31,156	5008	\$33,792	5010	\$36,391	5010	\$45,489
	1800	5008%	\$28,595	5008	\$32,404	5008	\$33,783	5010	\$42,230
	1200	5010%	\$31,417	5008	\$34,974	5008	\$37,664	5810	\$65,078
	900	5010	\$34,518	5010	\$43,448	5010	\$46,790	5811	\$68,158
	720	5012	\$44,472	5012	\$51,375	5012	\$55,327	----	---
	600	5811	\$67,260	5811	\$69,450	5811	\$74,792	----	---
	514	5812	\$72,195	5812	\$75,051	5812	\$80,825	----	---
400	3600*	5010%	\$35,451	5008	\$37,362	5010	\$40,236	5010	\$50,295
	1800	5008%	\$29,341	5008	\$33,539	5008	\$34,659	5012	\$43,325
	1200	5010	\$34,194	5008	\$36,855	5008	\$39,690	5811	\$63,577
	900	5010	\$38,646	5010	\$46,056	5012	\$49,599	5812	\$73,500
	720	5810	\$61,350	5810	\$62,775	5810	\$67,604	----	---
	600	5811	\$70,350	5811	\$74,985	5811	\$80,753	----	---
	514	5812	\$78,150	5812	\$81,300	5812	\$87,554	----	---

Notes:

- * Motor is Uni-Directional (CCW Rotation F.O.D.E.)
- ** Motor is Suitable for 1.0 SF, Class F Rise Only
- # Motor Includes Sleeve Bearings

- & Motor Requires The Use Of A Flood Oil Lubrication System
- % Cannot be used for motors covered by EISA-2007 / IHP Motor Final Rule 2016

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors Horizontal Weather Protected Type II Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6PM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
450	3600*	5012	\$39,399	5010	\$40,617	5010	\$43,741	5012	\$54,677
	1800	5008	\$30,216	5008	\$34,713	5010	\$37,254	5012	\$46,568
	1200	5010	\$38,289	5010	\$39,885	5010	\$42,953	5812	\$70,881
	900	5010	\$42,285	5012	\$50,010	5012**	\$53,857	5812	\$79,933
	720	5810	\$62,850	5811	\$65,850	5811	\$70,915	----	---
	600	5812	\$73,830	5812	\$78,600	5812	\$84,646	----	---
	514	5813	\$81,576	5813	\$87,534	5813	\$94,267	----	---
500	3600*	5012	\$42,739	5010	\$44,061	5010	\$47,451	5012	\$59,313
	1800	5010	\$35,454	5010	\$36,831	5010	\$39,665	5811	\$61,962
	1200	5010	\$42,162	5010	\$46,347	5010	\$49,912	5812	\$75,612
	900	5810	\$64,050	5810	\$67,200	5810	\$72,369	5812	\$85,038
	720	5811	\$68,850	5811	\$70,878	5812	\$76,330	----	---
	600	5813	\$79,185	5813	\$82,440	5813	\$88,782	----	---
	514	8007	\$118,229	8007	\$118,229	8007	\$128,510	----	---
600	3600*	5010	\$44,191	5010	\$48,600	5010	\$52,338	5812	\$74,042
	1800	5010	\$37,149	5010	\$41,277	5010	\$44,452	5811	\$66,115
	1200	5012	\$48,270	5012	\$52,335	5012	\$56,361	5813	\$83,308
	900	5810	\$68,100	5810	\$71,775	5811	\$77,296	6811	\$100,517
	720	5812	\$69,102	5812	\$75,306	5812	\$81,099	----	---
	600	5813	\$88,800	5813	\$96,231	8006	\$123,531	----	---
	514	8007	\$123,006	8007	\$123,006	8007	\$133,702	----	---
700	3600*	5012	\$52,200	5012	\$52,200	5012	\$56,215	5813	\$78,231
	1800	5010	\$45,279	5010	\$45,279	5010	\$48,762	5812	\$71,077
	1200	5012	\$54,375	5012	\$54,375	5012**	\$58,124	5813	\$86,608
	900	5811	\$74,850	5811	\$74,850	5811	\$80,608	6811	\$103,474
	720	5812	\$83,918	5812	\$83,918	5813	\$90,369	----	---
	600	8007	\$119,585	8007	\$119,585	8008	\$129,981	----	---
	514	8008	\$130,338	8008	\$130,338	8008	\$141,681	----	---
800	3600*	5012	\$56,100	5012	\$56,100	5012	\$60,415	5813	\$87,231
	1800	5012	\$49,281	5012	\$49,281	5012	\$53,072	5813	\$77,769
	1200	5810	\$70,425	5810	\$70,425	5811	\$75,842	6811	\$101,174
	900	5811	\$79,681	5812	\$79,681	5812	\$85,810	8008	\$130,220
	720	5813	\$92,550	5813	\$92,550	6810	\$102,808	----	---
	600	8008	\$126,190	8008	\$126,190	8008	\$137,077	----	---
	514	8009	\$142,073	8009	\$142,073	8009	\$154,431	----	---
900	3600*	5012	\$65,850	5012	\$65,850	5012	\$70,915	8009#&	\$152,678
	1800	5012	\$54,288	5012	\$54,288	5012	\$58,464	5813	\$82,038
	1200	5811	\$74,101	5811	\$74,101	5812	\$79,801	6811	\$103,474
	900	5812	\$86,853	5812	\$86,853	5812	\$93,534	8009	\$145,378
	720	----	---	8008	\$118,760	8008	\$129,087	----	---
	600	----	---	8009	\$133,581	8009	\$145,200	----	---
	514	----	---	8010	\$163,615	8010	\$177,854	----	---
1000	3600*	5012	\$70,350	5012	\$70,350	5012	\$75,762	8009#&	\$162,024
	1800	5012	\$61,013	5012	\$61,013	5012	\$64,404	5813	\$88,731
	1200	5812	\$79,733	5812	\$79,733	5813	\$85,866	8008	\$135,661
	900	5813	\$94,050	5813	\$94,050	6810	\$104,423	8010	\$158,717

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors Horizontal Weather Protected Type II Anti-Friction Ball Bearings - Standard (Energy) Efficient (DS-6PM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
1000	720	----	---	8009	\$126,987	8009	\$138,029	----	---
	600	----	---	8009	\$146,452	8009	\$159,185	----	---
	514	----	---	9604	\$183,248	9604	\$199,183	----	---
1250	3600*	----	---	5812	\$86,850	5812	\$93,531	8009#&	\$167,695
	1800	----	---	5812	\$78,849	5812	\$84,914	6811	\$97,500
	1200	----	---	5813	\$93,783	5813	\$100,997	8009	\$140,409
	900	----	---	6811	\$99,013	6811	\$107,264	9604	\$161,758
	720	----	---	8009	\$139,341	8010	\$151,457	----	---
	600	----	---	8009	\$162,017	8010	\$176,106	----	---
	514	----	---	9605	\$192,410	9606	\$209,146	----	---
1500	3600*	----	---	5813	\$100,650	5813	\$108,392	8010#&	\$173,564
	1800	----	---	5812	\$86,637	5812	\$93,301	8009	\$122,296
	1200	----	---	6811	\$100,800	6811	\$109,200	8010	\$145,323
	900	----	---	8008	\$122,197	8008	\$132,823	9605	\$174,704
	720	----	---	8010	\$147,687	8011	\$160,529	----	---
	600	----	---	9606	\$181,869	9607	\$197,238	----	---
	514	----	---	9606	\$202,027	9607	\$219,594	----	---
1750	3600*	----	---	5813	\$110,850	5813	\$119,377	8010#&	\$179,639
	1800	----	---	5813	\$95,301	5813	\$102,632	8010	\$134,192
	1200	----	---	8008	\$119,158	8008	\$129,519	9606	\$168,496
	900	----	---	8009	\$129,508	8009	\$140,769	9606	\$186,000
	720	----	---	9606	\$163,305	9606	\$177,505	----	---
	600	----	---	9607	\$190,535	9607	\$207,104	----	---
	514	----	---	9607	\$210,104	9607	\$228,375	----	---
2000	3600*	----	---	8009#&	\$132,136	8009#&	\$143,626	----	---
	1800	----	---	5813	\$109,071	5813	\$117,462	----	---
	1200	----	---	8009	\$125,461	8009	\$136,371	9607	\$182,135
	900	----	---	8010	\$134,537	8010	\$146,236	9607	\$200,538
	720	----	---	9606	\$184,229	9606	\$200,250	----	---
	600	----	---	9607	\$200,060	9607	\$217,454	----	---
2250	3600*	----	---	8009#&	\$146,183	8010#&	\$158,895	----	---
	1800	----	---	8009	\$122,277	8009	\$132,909	----	---
	1200	----	---	8009	\$134,868	8010	\$146,596	----	---
	900	----	---	8010	\$149,877	9606	\$182,100	----	---
	720	----	---	9607	\$193,437	9607	\$210,260	----	---
2500	3600*	----	---	8010#&	\$160,295	8010#&	\$174,235	----	---
	1800	----	---	8009	\$130,569	8010	\$141,923	----	---
	1200	----	---	8010	\$153,260	8011	\$166,587	----	---
	900	----	---	9605	\$171,306	9606	\$186,202	----	---
3000	3600*	----	---	----	----	----	----	----	---
	1800	----	---	8011	\$147,621	8011	\$160,457	----	---
	1200	----	---	9606	\$183,462	9606	\$199,413	----	---
	900	----	---	9607	\$192,537	9607	\$209,279	----	---
3500	1800	----	---	8011**	\$177,148	8011**	\$192,548	----	---
	1200	----	---	9607	\$192,640	9607	\$209,392	----	---
	900	----	---	9608	\$210,052	9608	\$228,317	----	---
4000	1200	----	---	9609	\$204,969	9609	\$222,796	----	---

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors Horizontal Weather Protected Type II Anti-Friction Ball Bearings - Premium Efficient (DS-6PM)

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA®† Design B
- Re-Greasable Ball Bearings
- Provisions For Air Filters
- Department of Energy Compliance Certification Number CC030A

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
150	3600*	----	---	5008	\$31,965	5008	\$32,924	----	---
	1800	----	---	5008	\$31,920	5008	\$32,878	----	---
	1200	----	---	5008	\$33,970	5008	\$35,021	----	---
	900	----	---	5008	\$31,109	5008	\$33,255	----	---
	720	5008	\$28,604	5010	\$34,525	5010	\$36,907	----	---
	600	5010	\$37,896	5010	\$42,891	5010	\$45,849	----	---
	514	5012	\$47,014	5012	\$55,877	5012	\$59,731	----	---
200	3600*	----	----	5008	\$33,084	5008	\$34,077	----	---
	1800	----	---	5008	\$33,037	5008	\$34,028	----	---
	1200	----	---	5008	\$35,159	5008	\$36,214	----	---
	900	5008@	\$28,905	5008	\$36,918	5008	\$39,464	----	---
	720	5008	\$32,451	5010	\$41,927	5010	\$44,819	----	---
	600	5010	\$43,484	5012	\$48,047	5012	\$51,361	----	---
	514	5012	\$51,950	5012	\$62,830	5012	\$67,164	----	---
250	3600*	5008@	\$28,442	5008	\$34,242	5010	\$36,147	5010	\$39,330
	1800	5008@	\$29,106	5008	\$34,193	5008	\$35,390	5008	\$34,848
	1200	5008@	\$27,456	5008	\$36,390	5010	\$37,481	5012	\$41,776
	900	5008@	\$30,450	5008	\$40,530	5010	\$43,326	5810	\$59,654
	720	5008	\$38,507	5010	\$47,285	5010	\$50,545	----	---
	600	5012	\$53,790	5012	\$58,357	5012	\$62,382	----	---
	514	5810	\$68,262	5810	\$71,775	5810	\$76,725	----	---
300	3600*	5008@	\$31,655	5010	\$36,325	5010	\$37,415	5010	\$44,429
	1800	5008@	\$28,125	5008	\$35,390	5010	\$36,325	5010	\$39,260
	1200	5010@	\$31,806	5010	\$37,663	5010	\$38,793	5810	\$61,246
	900	5008	\$34,499	5010	\$44,800	5010	\$47,889	5810	\$66,323
	720	5010	\$44,150	5010	\$51,143	5010	\$54,669	----	---
	600	5810	\$68,680	5810	\$75,121	5810	\$80,302	----	---
	514	5811	\$73,147	5811	\$79,053	5811	\$84,505	----	---
350	3600*	5008@	\$32,796	5010	\$37,692	5010	\$40,290	5010	\$49,388
	1800	5010@	\$30,099	5010	\$32,525	5010	\$37,728	5010	\$42,618
	1200	5010@	\$33,070	5010	\$39,009	5010	\$41,700	5810	\$64,269
	900	5010	\$38,500	5010	\$48,460	5010	\$51,803	5811	\$73,996
	720	5012	\$49,604	5012	\$57,303	5012	\$61,255	----	---
	600	5811	\$75,021	5811	\$77,463	5811	\$82,806	----	---
	514	5812	\$80,526	5812	\$83,710	5812	\$89,484	----	---
400	3600*	5010@	\$37,317	5010	\$41,673	5010	\$44,547	5010	\$54,606
	1800	5010@	\$33,103	5010	\$35,897	5010	\$39,048	5012	\$47,038
	1200	5010	\$38,139	5010	\$41,108	5012	\$43,943	5811	\$69,115
	900	5010	\$43,105	5010	\$51,370	5012	\$54,913	5812	\$79,800
	720	5810	\$68,429	5810	\$70,019	5810	\$74,848	----	---
	600	5811	\$78,467	5811	\$83,638	5811	\$89,406	----	---
	514	5812	\$87,185	5812	\$90,681	5812	\$96,935	----	---

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

@ 60Hz motor complies with U.S. D.O.E.'s Efficiency regulation 10 CFR Section 431 Subpart B – electric motors (see Appendix D for Nominal Efficiency Table)

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors Horizontal Weather Protected Type II Anti-Friction Ball Bearings - Premium Efficient (DS-6PM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
450	3600*	5012@	\$43,038	5010	\$45,303	5010	\$48,428	5012	\$59,363
	1800	5010@	\$34,090	5010	\$38,585	5010	\$41,245	5012	\$50,559
	1200	5012	\$42,707	5012	\$44,488	5012	\$47,556	5812	\$76,962
	900	5010	\$47,165	5012	\$55,780	5012**	\$59,627	5812	\$86,769
	720	5810	\$70,102	5811	\$73,448	5811	\$78,513	----	---
	600	5812	\$82,349	5812	\$87,669	5812	\$93,715	----	---
	514	5813	\$90,989	5813	\$97,634	5813	\$104,368	----	---
500	3600*	5012@	\$46,687	5010	\$49,145	5010	\$52,535	5012	\$64,397
	1800	5010@	\$37,320	5010	\$41,080	5010	\$43,914	5811	\$67,269
	1200	5012	\$47,027	5012	\$51,695	5012	\$55,260	5812	\$82,038
	900	5810	\$71,440	5810	\$74,954	5810	\$80,123	5812	\$92,319
	720	5811	\$76,794	5811	\$79,056	5812	\$84,509	----	---
	600	5813	\$88,322	5813	\$91,952	5813	\$98,294	----	---
	514	8007	\$133,650	8007	\$133,650	8007	\$143,931	----	---
600	3600*	5010	\$49,290	5012	\$54,208	5012	\$57,946	5812	\$80,388
	1800	5010	\$41,436	5010	\$46,040	5010	\$49,215	5811	\$71,781
	1200	5012	\$53,840	5012	\$58,374	5012	\$62,400	5813	\$90,450
	900	5810	\$75,958	5810	\$80,057	5811	\$85,578	6811	\$104,926
	720	5812	\$77,076	5812	\$83,995	5812	\$89,788	----	---
	600	5813	\$99,046	5813	\$107,342	8006	\$138,346	----	---
	514	8007	\$139,050	8007	\$139,050	8007	\$149,746	----	---
700	3600*	5012	\$58,223	5012	\$58,223	5012	\$62,238	5813	\$84,946
	1800	5010	\$50,504	5012	\$50,504	5012	\$53,986	5812	\$77,169
	1200	5012	\$60,650	5012	\$60,650	5012**	\$64,832	5813	\$94,038
	900	5811	\$83,487	5811	\$83,487	5811	\$89,244	6811	\$108,598
	720	5812	\$93,600	5812	\$93,600	5813	\$100,056	----	---
	600	8007	\$135,179	8007	\$135,179	8008	\$145,581	----	---
	514	8008	\$147,346	8008	\$147,346	8008	\$158,679	----	---
800	3600*	5012	\$62,573	5012	\$62,573	5012	\$66,888	5813	\$94,708
	1800	5012	\$54,967	5012	\$54,967	5012	\$58,758	5813	\$84,462
	1200	5810	\$78,552	5810	\$78,552	5811	\$83,969	6811	\$105,612
	900	5811	\$88,875	5812	\$88,875	5812	\$95,005	8008	\$130,927
	720	5813	\$103,229	5813	\$103,229	6811	\$110,348	----	---
	600	8008	\$142,650	8008	\$142,650	8008	\$153,623	----	---
	514	8009	\$160,604	8009	\$160,604	8009	\$172,962	----	---
900	3600*	5012	\$73,448	5012	\$73,448	5012	\$78,513	8009#&	\$158,150
	1800	5012	\$60,552	5012	\$60,552	5012	\$64,728	5813	\$89,077
	1200	5811	\$82,651	5811	\$82,651	5812	\$88,352	6811	\$109,308
	900	5812	\$96,875	5812	\$96,875	5812	\$103,555	8009	\$150,961
	720	----	---	8008	\$134,250	8008	\$144,577	----	---
	600	----	---	8009	\$151,004	8009	\$162,623	----	---
	514	----	---	8010	\$184,967	8010	\$199,193	----	---
1000	3600*	5012	\$78,467	5012	\$78,467	5012	\$83,879	8009#&	\$163,685
	1800	5012	\$67,549	5012	\$67,549	5012	\$71,305	5813	\$96,346
	1200	5812	\$88,933	5812	\$88,933	5813	\$95,065	8008	\$131,792
	900	5813	\$104,902	5813	\$104,902	6811	\$112,137	8010	\$155,469

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

@ 60Hz motor complies with U.S. D.O.E.'s Efficiency regulation 10 CFR Section 431 Subpart B - electric motors (see Appendix D for Nominal Efficiency Table)

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors Horizontal Weather Protected Type II Anti-Friction Ball Bearings - Premium Efficient (DS-6PM)

(continued)

HP	RPM @ 60 Hz	Voltage @ 60 Hertz							
		460 or 575V		2300V		4000V		6600V	
		Frame	List	Frame	List	Frame	List	Frame	List
1000	720	----	----	8009	\$143,550	8009	\$154,592	----	----
	600	----	----	8009	\$165,554	8009	\$178,292	----	----
	514	----	----	9604	\$207,467	9604	\$223,085	----	----
1250	3600*	----	----	5812	\$96,871	5812	\$103,552	8009#&	\$169,414
	1800	----	----	5812	\$87,947	5812	\$94,012	6811	\$103,408
	1200	----	----	5813	\$104,604	5813	\$111,818	8009	\$139,731
	900	----	----	6811	\$111,389	6811	\$119,640	9604	\$171,808
	720	----	----	8009	\$157,515	8010	\$169,632	----	----
	600	----	----	8009	\$183,150	8010	\$197,238	----	----
	514	----	----	9605	\$217,506	9605	\$234,242	----	----
1500	3600*	----	----	5813	\$112,263	5813	\$120,006	8010#&	\$175,344
	1800	----	----	5812	\$96,633	5812	\$103,298	8009	\$129,923
	1200	----	----	6811	\$113,400	6811	\$121,800	8010	\$149,077
	900	----	----	8008	\$138,135	8009	\$148,761	9605	\$185,538
	720	----	----	8011	\$166,950	8011	\$179,792	----	----
	600	----	----	9606	\$205,125	9607	\$220,904	----	----
	514	----	----	9606	\$228,375	9607	\$245,942	----	----
1750	3600*	----	----	5813	\$123,640	5813	\$132,167	8010#&	\$181,481
	1800	----	----	5813	\$106,297	5813	\$113,628	8010	\$142,581
	1200	----	----	8009	\$134,700	8010	\$145,062	9606	\$179,019
	900	----	----	8010	\$146,400	8010	\$157,662	9606	\$197,619
	720	----	----	9606	\$184,605	9606	\$198,805	----	----
	600	----	----	9607	\$215,383	9607	\$231,952	----	----
	514	----	----	9607	\$237,508	9607	\$255,779	----	----
2000	3600*	----	----	8009#&	\$149,371	8009#&	\$160,861	----	----
	1800	----	----	5813	\$121,656	5813	\$130,047	----	----
	1200	----	----	8010	\$141,825	8010	\$152,735	9607	\$193,512
	900	----	----	8010	\$152,085	8010	\$163,784	9607	\$213,000
	720	----	----	9606	\$208,258	9607	\$224,279	----	----
	600	----	----	9607	\$226,154	9607	\$243,554	----	----
2250	3600*	----	----	8009#&	\$160,801	8010#&	\$174,785	----	----
	1800	----	----	8009	\$134,504	8010	\$146,200	----	----
	1200	----	----	8010	\$148,356	8010	\$161,256	----	----
	900	----	----	9605	\$186,000	9606	\$200,310	----	----
	720	----	----	9607	\$212,781	9607	\$231,286	----	----
2500	3600*	----	----	8010#&	\$176,324	8010#&	\$191,657	----	----
	1800	----	----	8010	\$143,626	8010	\$156,115	----	----
	1200	----	----	8011	\$168,586	8011	\$183,246	----	----
	900	----	----	9606	\$188,437	9607	\$204,823	----	----
3000	3600*	----	----	----	----	----	----	----	----
	1800	----	----	8011	\$162,383	8011	\$176,503	----	----
	1200	----	----	9606	\$201,808	9606	\$219,355	----	----
	900	----	----	9607	\$211,791	9607	\$230,207	----	----
3500	1800	----	----	8011**	\$194,859	8011**	\$211,800	----	----
	1200	----	----	9607	\$211,905	9607	\$230,331	----	----
	900	----	----	9608	\$231,058	9608	\$251,150	----	----
4000	1200	----	----	9609	\$225,466	9609	\$245,076	----	----

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

** Motor is Suitable for 1.0 SF, Class F Rise Only

Motor Includes Sleeve Bearings

& Motor Requires The Use Of A Flood Oil Lubrication System

† All marks shown within this document are properties of their respective owners.



Modifiable TITAN® Horizontal Motors Horizontal Weather Protected Type II Anti-Friction Ball Bearings - Standard Efficient (DS-6PM) Cannot Be Used For Motors Covered by EISA-2007 / IHP Motor Final Rule 2016

FEATURES:

- Cast Iron & Fabricated Steel Construction
- Class F VPI Epoxy Insulation
- 1.15 S.F. with Class B Temperature Rise at Full Load
- 40°C Ambient, Max 3,300 F.A.S.L.
- NEMA®† Design B
- Re-Greasable Ball Bearings
- Provisions For Air Filters

HP	RPM @ 60 Hz	Voltage @ 60 Hertz	
		460 or 575V	
		Frame	List
200	900	5008%	\$26,664
250	3600*	5008%	\$26,210
	1800	5008%	\$25,229
	1200	5008%	\$25,301
	900	5008%	\$28,060
300	3600*	5008%	\$29,170
	1800	5008%	\$25,916
	1200	5008%	\$29,310
350	3600*	5008%	\$30,221
	1800	5008%	\$27,737
	1200	5010%	\$30,474
400	3600*	5010%	\$34,387
	1800	5008%	\$28,461
450	3600*	5010%	\$38,217
	1800	5008%	\$31,225
500	3600*	5010%	\$41,457
	1800	5010%	\$34,390

Notes:

* Motor is Uni-Directional (CCW Rotation F.O.D.E.)

% Cannot be used for motors covered by EISA-2007 / IHP Motor Final Rule 2016

† All marks shown within this document are properties of their respective owners.

