

NEMA VERTICAL QUICK PICK MODIFIABLE MOTORS

NEMA[†]

ITEM	PG.	NOTE	DESCRIPTION	FRAME SIZE							
				182 184	213 215	254 256	284 286	324 326	364 365	404 405	444 447
1	M-4		Aerator Duty	Add 15% to N. Thrust List							
2	M-4	(1)	Altitude (≤9900 ft)	\$164	\$197	\$261	\$434	\$570	\$732	\$1,063	\$1,498
3	M-5	(1)	Ambient (≤65°C)	\$164	\$197	\$261	\$434	\$570	\$732	\$1,063	\$1,498
3A	M-5		Arctic Duty	Add 25% to TEFC							
4	M-6		Balance - Normal Thrust	\$141	\$141	\$141	\$141	\$202	\$202	\$202	\$202
			Balance - High Thrust	\$282	\$282	\$282	\$282	\$404	\$404	\$404	\$404
6	M-10 M-11		Bearings								
			- 175% EHT	N/A	N/A	N/A	N/A	4%	4%	4%	4%
			- 300% EHT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.5%
			- Insulated (Upper)	\$550	\$850	\$1,200	\$1,500	\$1,500	\$1,500	\$1,500	\$1,500
		- Insulated (Both)	\$1,100	\$1,700	\$2,400	\$3,000	\$3,000	\$3,000	\$3,000	\$3,000	
8	M-12 M-13 M-14		Conduit Box - Accessory	N/A				\$901	\$901	\$901	\$901
			- Cast Iron	Use CORRO-DUTY [®]				\$293	\$469	\$587	\$704
			- Oversize	\$178	\$178	\$178	\$178	\$178	\$178	\$178	\$704
			- NEMA [†] 4X Epoxy Coated	\$352	\$469	\$587	\$704	\$822	\$939	\$1,056	\$1,174
			- Ground Lug In OB	\$108	\$108	\$108	\$108	\$108	\$108	\$108	\$108
11	M-21		Drain & Br. - TEFC	\$178	\$178	\$178	\$418	\$418	\$418	\$418	\$418
			- Hazardous Location	\$270	\$270	\$270	\$634	\$634	\$634	\$634	\$634
13	M-26 M-27		CORRO-DUTY [®]	Add 10% to Base TEFC							
			IEEE-841 Features	\$1,000	\$1,500	\$2,000	\$2,500	\$3,900	\$4,734	\$5,666	See Page M-27
13H	M-26		Heavy Duty TEFC	Add 5% to Base TEFC List							
14	M-28		Export Boxing	6% But Not Less Than \$150 Net							
15	M-29	(1)	Frequency - 50Hz	Add 10% to Base 60 Hz List to Keep STD S.F.							
18	M-30 M-32		- Insulation - Class H	\$175	\$211	\$277	\$462	\$607	\$779	\$1,125	See Page M-30
			- INS 2000	\$80	\$127	\$162	\$270	\$345	\$425	\$570	\$742
			- VPI 1000	Not Available				\$1,714	\$2,019	\$2,847	\$3,887
			- VPI 2000	Not Available				\$3,427	\$4,038	\$5,695	\$7,775
			- Abrasion Resist	\$80	\$127	\$162	\$270	\$345	\$425	\$570	\$742
19	M-34	(1)	Inverter Duty	Premium Efficiency Base List Add 7.5%							
22	M-35	(1)	Multispeed	For Constant Torque See Mod. Section							
		(1)	- Var TQ 2 SP/1WDG	45%							
		(1)	- Var TQ 2 SP/2WDG	130%							
23	M-37		Special Nameplate	\$340	\$340	\$340	\$340	\$340	\$340	\$340	\$340
			Rotational Arrow	\$47	\$47	\$47	\$47	\$47	\$47	\$47	\$47
26	M-40		Oil Sump Heaters	N/A	N/A	N/A	N/A	\$469	\$469	\$563	\$563

NOTE: This is a condensed version of the complete modification section used to qualify the availability of these options.

- (1) Will likely change performance characteristics and/or frame size of certain product.
- (2) Add thermal protection (thermostats, etc.) per item 50 if required by customer.



† All marks shown within this document are properties of their respective owners.

NEMA VERTICAL QUICK PICK MODIFIABLE MOTORS



ITEM	PG.	NOTE	DESCRIPTION	FRAME SIZE								
				182 184	213 215	254 256	284 286	324 326	364 365	404 405	444 447	
29	M-42		Paint - Primer Only Special Paint	No Charge for STD Primer Only								
				\$352	\$469	\$587	\$704	\$822	\$939	\$1,056	\$1,174	
35	M-48		Stainless Steel Screens	\$469	\$469	\$469	\$528	\$763	\$1,115	\$1,115	\$1,761	
36	M-48		Seals - Shaft Slinger	\$141	\$141	\$200	\$200	\$270	\$270	\$340	\$376	
			- Lip Seal	\$141	\$200	\$200	\$200	\$270	\$270	\$340	See Page M-48	
			- INPRO/SEAL [†]	\$352	\$352	\$587	\$822	\$822	\$1,056	\$1,291	See Page M-48	
			- INPRO/SEAL [†] - MGS	\$1,056	\$1,056	\$1,761	\$2,466	\$2,466	\$3,168	\$3,873	See Page M-48	
37	M-49	(1),(2)	Service Factor	\$352	\$469	\$587	\$728	\$939	\$1,878	\$2,559	\$3,150	
38	M-50	(2)	Shaft Ground Ring - AEGIS [†] SGR [†]	\$350	\$350	\$510	\$550	\$710	\$710	\$1,115	\$1,291	
			INPRO/SEAL [†] CDR [†]	\$350	\$350	\$510	\$550	\$710	\$710	\$1,115	\$1,291	
40	M-51		Space Heater TEFC / WPI	\$300	\$300	\$300	\$300	\$385	\$385	\$385	\$385	
			Space Heater Haz. Loc.	\$601	\$601	\$601	\$601	\$770	\$770	\$770	\$770	
42	M-53		Stainless Steel Hardware	\$282	\$282	\$282	\$282	\$528	\$528	\$528	\$528	
43B	M-55		Connection-PWS	N/A	N/A	\$99	\$131	\$202	\$291	\$451	N/C	
			- WYE Delta	\$99	\$99	\$99	\$131	\$202	\$291	\$451	N/C	
44	M-59		Bushings - Steady	\$202	\$202	\$202	\$202	\$300	\$300	\$300	\$300	
46	M-62		Temp Rise - Class B @ 1.15 SF	\$164	\$469	\$469	\$728	\$939	\$1,878	\$2,559	\$3,521	
			- Class A	Price as Premium Efficiency Plus 7%								
48	M-65		- Testing - S.C.T.	\$235	\$235	\$235	\$235	\$235	\$235	\$235	\$235	
			- Witnessed S.C.T	\$675	\$675	\$675	\$675	\$675	\$675	\$675	\$675	
			- Complete I. Test	\$1,385	\$1,385	\$1,385	\$1,385	\$2,136	\$2,770	\$3,263	\$4,531	
			- Witnessed C.I.T.	\$2,113	\$2,113	\$2,113	\$2,113	\$3,263	\$4,155	\$4,906	\$6,784	
			- Noise Test	\$1,502	\$1,502	\$1,502	\$1,502	\$1,502	\$1,878	\$2,113	\$2,347	
			- Witnessed Noise	\$2,254	\$2,254	\$2,254	\$2,254	\$2,254	\$2,817	\$3,169	\$3,521	
49	M-69		Bearing RTD 10 or 120 ohm	Not Available			\$1,340	\$1,340	\$1,340	\$1,340		
			Bearing RTD 100 ohm - Std.	Not Available			\$2,150	\$2,150	\$2,150	\$2,150		
49B	M-70 M-71 M-72 M-73		Winding Thermostats	\$89	\$89	\$89	\$146	\$207	\$308	\$308	\$308	
			THERMA SENTRY [®] SMSE	\$1,410	\$1,410	\$1,410	\$1,410	\$1,410	\$1,410	\$1,410	\$1,410	
			THERMA SENTRY [®] MMSE	Not Available							\$2,880	\$2,880
			Winding Thermistors	\$472	\$472	\$472	\$669	\$669	\$876	\$876	\$876	
			Winding RTD 10 or 120 ohm	Not Available			\$2,545	\$2,545	\$2,545	\$2,545		
			Winding RTD 100 ohm - Std.	Not Available			\$3,825	\$3,825	\$3,825	\$3,825		
50	M-74 M-75		Special Mounting Tolerance	\$704	\$704	\$704	\$704	\$939	\$1,232	\$1,408	\$1,761	
			API-610 Tolerances	\$939	\$939	\$939	\$939	\$1,291	\$1,643	\$1,878	\$2,347	
53	M-78	(1)	Voltage Special	600 Volts or Less Add 4% to List								

NOTE: This is a condensed version of the complete modification section used to qualify the availability of these options.
(1) Will likely change performance characteristics and/or frame size of certain products.

(2) Refer to page M-49 item 38 for details of this price adder.
(3) WPI Only



† All marks shown within this document are properties of their respective owners.

TITAN® VERTICAL QUICK PICK MODIFIABLE MOTORS



ITEM	PG.	NOTE	DESCRIPTION	FRAME SIZE LIST PRICE ADDER					
				449	5000	5800	6812 (TE)	6800-8000	9600
2	M-4	(1)	Altitude (≤9900 ft)	\$4,068	6%	6%	6%	6%	6%
3	M-5	(1)	Ambient (≤65°C) O/E	\$4,068	12%/6%	12% / 6%	12%	15%	15%
4	M-6		Balance Special	\$1,467	\$1,467	\$4,354	\$4,354	\$5,444	\$5,444
5	M-7	(1), (3)	Base Diameters	\$3,756	\$3,756	\$5,634	\$7,518	See Page 114	
6	M-11 M-10	(1), (2), (3)	Bearings - Spare set	Add 7% to Base List Price					
			- 175% EHT	4%	4%	4%	4%	4%	4%
			- 300% EHT	7.5%	7.5%	7.5%	7.5%	7.5%	7.5%
			- Insulated (Upper only)	\$1,800	N/C	N/C	N/C	N/C	N/C
			- Insulated (both)	\$3,600	\$2,400	\$2,400	\$3,000	\$3,000	\$3,000
			- Water cooling coils	5% / 7.5% When Not Standard					
7	M-12		Buss Bar	\$4,178	\$4,178	\$4,178	\$4,178	\$4,178	\$4,178
8	M-15 M-16 M-17 M-18 M-19		Conduit Box - Accessory	\$1,127	\$1,127	\$1,127	\$1,127	\$1,127	\$1,127
			- Ground Lug or Servit Post	\$164	\$164	\$164	\$164	\$164	\$164
			- Lead Positioning Gasket	\$223	\$223	\$223	\$223	\$223	\$223
			- NEMA Type II	See Page M-18					
			- Oversized	See Page M-16					
10	M-20		Current Transformer	See Page M-20					
11	M-21		Drain & Breather - TEFC	\$178	\$178	\$178	\$178	N/A	N/A
			- Hazardous Location	\$270	\$270	\$270	N/A	N/A	N/A
13	M-26 M-27		CORRO-DUTY® - Basic	6%	6%	6%	N/A	N/A	N/A
			Basic Plus Cast Iron Fan Guard	8%	8%	8%	N/A	N/A	N/A
			IEEE-841 ^{®†} Features	\$11,620	\$12,290	\$13,238	N/A	N/A	N/A
13B	M-24 M-25	(1)	Enclosure - WPII	\$15,365	\$17,606	\$26,408	N/A	\$41,815	\$52,230
			- Air Filters (Std.)	\$2,507	\$2,507	\$2,507	\$2,507	\$2,507	\$2,507
			- Air Press. Diff. Switch	\$1,676	\$1,676	\$1,676	\$1,676	\$1,676	\$1,676
			- Air Temp. Sensor	\$1,897	\$1,897	\$1,897	\$1,897	\$1,897	\$1,897
14	M-28	(3)	Export Boxing	3% But Not Less Than \$150 Net					
15	M-29	(1)	Frequency - 50Hz	Add 10% to Base 60Hz List to Keep STD S.F.					
16	M-29		Ground Pad	\$441	\$441	\$441	\$441	\$441	\$441
			- Hazardous Location	\$549	\$549	\$549	N/A	N/A	N/A
18	M-32		Insulation - Class H	\$1,855	\$2,356	\$3,031	\$4,914	\$5,859	\$6,359
			- EVERSEAL ^{®†} WPI, WPII / TEFC	5/2.5%	5/3%	5/3%	N/A / 5%	5% / N/A	5% / N/A
			- Abrasion Resistant	1%	1%	1%	1%	1%	1%
			- Insulife VPI 2000	3%	3%	3%	N/A	N/A	N/A
19	M-35		Inverter Duty	Premium Efficiency Base List Add 5%					
23	M-37		Nameplate - Special	\$340	\$340	\$340	\$340	\$340	\$340
			Rotation Arrow	\$47	\$47	\$47	\$47	\$47	\$47

NOTE: This is a condensed version of the complete modification section used to qualify the availability of these options.

- (1) Will likely change performance characteristics and/or frame size of certain product.
- (2) Refer to main Mod Section for details.
- (3) Extends Delivery.



† All marks shown within this document are properties of their respective owners.

**TITAN® VERTICAL QUICK PICK
MODIFIABLE MOTORS**



ITEM	PG.	NOTE	DESCRIPTION	FRAME SIZE LIST PRICE ADDER					
				449	5000	5800	6812 (TE)	6800-8000	9600
26	M-40	(2)	Oil Sump Heater - STD	\$2,202	\$2,202	\$2,495	\$2,789	\$2,934	\$3,110
29	M-42		Paint - Special	\$1,878	\$1,878	\$3,756	\$5,634	\$5,634	\$5,634
34	M-47	(1)	Rotor - Copper Bar - 4 Pole	\$32,277	\$32,277	\$35,211	\$37,559	\$39,906	\$42,254
35	M-48		Stainless Steel Screens	\$1,761	\$1,761	\$1,761	N/A	\$2,200	\$2,495
36	M-48		Seals - Shaft Slinger	\$469	\$469	\$469	\$469	\$469	\$469
			- Lip Seal	\$469	N/A	N/A	N/A	N/A	N/A
			- INPRO/SEAL [†]	\$1,937	\$3,815	\$3,815	\$3,815	\$3,815	\$3,815
			- INPRO/SEAL [†] -MGS	\$5,811	\$11,445	\$11,445	\$11,445	\$11,445	\$11,445
37	M-49	(1)	Service Factor	\$4,432	5%	5%	6%	6%	6%
38	M-50	(2)	Shaft Ground Ring - AEGIS [†] SGR [†]	\$1,937	\$3,815	\$3,815	\$3,815	\$3,815	\$3,815
			INPRO/SEAL [†] CDR [†]	\$1,937	\$3,815	\$3,815	\$3,815	\$3,815	\$3,815
40	M-51	(4)	Space Heater - WPI/TEFC	\$1,657	\$1,657	\$1,819	\$2,789	\$2,789	\$2,789
			- Hazardous Location	\$3,317	\$3,317	\$3,638	\$5,575	\$5,575	\$5,575
42	M-53		Stainless Steel Hardware	\$547	\$547	\$547	\$573	\$735	\$735
44	M-59		Bushing - Steady	\$523	\$523	\$523	\$523	\$2,202	\$2,202
45	M-62		Surge Protection - 460V	\$8,554	\$8,554	\$8,554	\$8,554	\$8,554	\$8,554
			- 2300V	\$21,568	\$21,568	\$21,568	\$21,568	\$21,568	\$21,568
			- 4160V	\$28,317	\$28,317	\$28,317	\$28,317	\$28,317	\$28,317
			- 6600V	\$36,796	\$36,796	\$36,796	\$36,796	\$36,796	\$36,796
46	M-64	(1),(2)	Temp Rise - Class B @ 1.15 S.F.	\$5,664	12%	12%	12%	12%	12%
48	M-66	(3)	Testing - S.C.T.	\$235	\$235	\$235	\$235	\$235	\$235
			- Witnessed S.C.T.	\$675	\$675	\$1,000	\$1,350	\$1,350	\$1,350
			- Complete Initial Test	\$8,350	\$8,350	\$8,350	\$11,700	\$11,700	\$11,700
			- Witnessed C.I.T.	\$16,700	\$16,700	\$16,700	\$23,350	\$23,350	\$23,350
			- Noise	\$2,347	\$2,347	\$3,852	\$4,270	\$4,270	\$5,129
			- Witnessed Noise	\$3,521	\$3,521	\$6,406	\$6,406	\$6,406	\$7,981
49	M-69		- Bearing Thermocouple	\$590 One Bearing / \$1,180 Two Bearings					
			- Bearing Temp. Switch	\$590 One Bearing / \$1,180 Two Bearings					
			- Bearing Temp. Indicator	\$1,340 One Bearing / \$2,680 Two Bearings					
			- Bearing Stem Type Thermometer	\$1,340 One Bearing / \$2,680 Two Bearings					
			- Bearing RTD 10 or 120 ohm	\$1,340 One Bearing / \$2,680 Two Bearings					
			- Bearing RTD 100 ohm - Std.	\$2,150 One Bearing / \$4,300 Two Bearings					
			-						
49B	M-70 M-71 M-72 M-73		Winding Thermostats	\$408	\$408	\$725	\$725	\$725	\$725
			Winding Thermistors (No Control)	\$1,303	\$1,303	\$1,303	\$1,303	\$1,303	\$1,303
			THERMA SENTRY® SMSE	\$1,755	\$1,755	\$1,755	\$1,755	\$1,755	\$1,755
			THERMA SENTRY® MMSE	\$2,880	\$2,880	\$2,880	\$2,880	\$2,880	\$2,880
			Winding Thermocouple	\$3,440	\$3,440	\$3,440	\$3,440	\$3,440	\$3,440
			Winding RTD 10 or 120 ohm	\$3,440	\$3,440	\$3,440	\$3,440	\$3,440	\$3,440
			Winding RTD 100 ohm - Std.	\$5,165	\$5,165	\$5,165	\$5,165	\$5,165	\$5,165
50	M-74 M-75		Special Mounting Tolerance	\$3,521	\$3,521	\$4,401	\$5,282	\$7,512	\$7,512
			- API-610 Tolerance	\$4,695	\$4,695	\$5,869	\$7,042	\$9,977	\$9,977

NOTE: This is a condensed version of the complete modification section used to qualify the availability of these options.
 (1) This option will likely change performance characteristics and/or frame size of certain products.
 (2) Refer to main Mod. Section for detailed explanation or proper price application.
 (3) Extends Delivery.



† All marks shown within this document are properties of their respective owners.